Cirocco WC. Life threatening sepsis and mortality following stapled hemorrhoidopexy. 2008;143:824-9
Coleman J (*see* Strong VE et al). 2008;143:759-68
Colletti L (*see* Ren X et al). 2008;143:790-802
Concejero A, Chen C-L, Liang C-D, Wang C-C, Wang S-H, Lin C-C, Lin Y-W, Yong C-C, Yang C-H, Jawan B, Cheng Y-F. Atrial septal defect in end-stage liver disease children before and after liver transplantation. 2008;143:271-7
Concejero AM (*see* Wang C-C et al). 2008;143:686-90
Cooper GJS (*see* Flint RS et al). 2008;143:404-13
Coppit GL (*see* Stojadinovic A et al). 2008;143:732-42
Coveney EC (*see* Walsh SR et al). 2008;143:466-8
Crisostomo PR, Markel TA, Wang Y, Meldrum DR. Surgically relevant aspects of stem cell paracrine effects. 2008;143:577-81
Csencsits K (*see* Welling TH et al). 2008;143:394-403
Cuesta MA (*see* Scheepers JJG et al). 2008;143:278-85
Cunha JEM (*see* Machado MCC et al). 2008;143:29-34
Cusack JC Jr (*see* Donahue J et al). 2008;143:830-2

D

D'Urso A (*see* Illuminati G et al). 2008;143:134-9
Da Giau G (*see* Ballotta E et al). 2008;143:519-25
Dalainas I. Inflammatory abdominal aortic aneurysms and paranastomotic aneurysm formation. 2008;143:300
Dall'Antonia A (*see* Antonello M et al). 2008;143:51-7
Dallal RM, Bailey L. Outcomes with the adjustable gastric band. 2008;143:329-33
Dang K (*see* Park Y et al). 2008;143:243-51
Danielsen AJ (*see* Stoddard and Danielsen). 2008;143:161-4
De Marco L (*see* Sarquis MS et al). 2008;143:630-40
de Vet HCW (*see* Kluivers KB et al). 2008;143:206-15
Degnim AC (*see* Zakaria S et al). 2008;143:641-7
Delahunt B (*see* Flint RS et al). 2008;143:404-13
Delaney CP (*see* McGee MF et al). 2008;143:318-28
Deriu GP (*see* Antonello M et al). 2008;143:51-7
Dexter DJ (*see* Kligman MD et al). 2008;143:533-8
Dias EP (*see* Sarquis MS et al). 2008;143:630-40
Divino CM (*see* Greenstein AJ et al). 2008;143:623-9
Doglietto GB (*see* Ridolfini MP et al). 2008;143:691-2
Doi R (*see* Seo S et al). 2008;143:769-77
Domínguez Fernández E (*see* Schlosser K et al). 2008;143:352-8
Donahue J, Sahani D, Tso L, Cusack JC Jr. Extra-adrenal pheochromocytoma involving the organ of Zuckerkandl. 2008;143:830-2
Dondero F (*see* Scatton O et al). 2008;143:483-9
Donohue JH (*see* Zakaria S et al). 2008;143:641-7
Doty B, Zuckerman R, Finlayson S, Jenkins P, Rieb N, Heneghan S. General surgery at rural hospitals: a national survey of rural hospital administrators. 2008;143:599-606
Dralle H (*see* Machens and Dralle). 2008;143:696
Dubrowski A (*see* Nousiainen M et al). 2008;143:539-44
Duenes JA (*see* Houghton SG et al). 2008;143:79-93
Dunbar PR (*see* Flint RS et al). 2008;143:404-13
Duxbury M (*see* Waseem T et al). 2008;143:334-42

E

Eberlin KR (*see* McCormack MC et al). 2008;143:126-33
Echenique Elizondo M, Amondarain JA. Parathyroid cyst and hyperparathyroidism. 2008;143:447-8
Egashira A (*see* Morita M et al). 2008;143:499-508
Eguchi S, Kanematsu T, Arii S, Okazaki M, Okita K, Omata M, Ikai I, Kudo M, Kojiro M, Makuuchi M, Monden M, Matsuyama Y, Nakanuma Y, Takayasu K. Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on a Japanese nationwide survey. 2008;143:469-75
Ekkernkamp A (*see* Schroeder O et al). 2008;143:233-42
Elateef AA (*see* Mahdy T et al). 2008;143:784-9
Elmonem HA (*see* Mahdy T et al). 2008;143:784-9
Emani S, Zhang J, Guo L, Guo H, Kuo PC. RNA Stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular cancer. 2008;143:803-12
Endo I (*see* Tanaka K et al). 2008;143:259-70
Endo I (*see* Tanaka K et al). 2008;143:607-15
Eng C (*see* Sarquis MS et al). 2008;143:630-40
Erbil Y, Giriş M, Salmaslıoglu A, Ozluk Y, Barbaros U, Yanık BT, Kapran Y, Abbasoglu SD, Ozarmagan S. The effect of antithyroid drug treatment duration on thyroid gland microvessel density and intraoperative blood loss in patients with Graves' disease. 2008;143:216-25
Ermani M (*see* Ballotta E et al). 2008;143:519-25
Evans J (*see* Smith RA et al). 2008;143:658-66
Evans RW (*see* Platt AC et al). 2008;143:157-61

F

Farley DR (*see* Zakaria S et al). 2008;143:641-7
Farooq N (*see* Walsh SR et al). 2008;143:466-8
Fatima J (*see* Houghton SG et al). 2008;143:79-93
Federico B (*see* Nuzzo G et al). 2008;143:384-93
Fialkowski EA (*see* Quayle FJ et al). 2008;143:697
Fiel M-I (*see* Konstadoulakis MM et al). 2008;143:366-74
Finlayson S (*see* Doty B et al). 2008;143:599-606
Flint RS, Phillips ARJ, Power SE, Dunbar PR, Brown C, Delahunt B, Cooper GJS, Windsor JA. Acute pancreatitis severity is exacerbated by intestinal ischemia-reperfusion conditioned mesenteric lymph. 2008;143:404-13
Fong Y (*see* Strong VE et al). 2008;143:759-68
Freeman S (*see* Bernard A et al). 2008;143:286-91
Friedman E (*see* Sarquis MS et al). 2008;143:630-40
Friend DS (*see* McCormack MC et al). 2008;143:126-33
Friess H (*see* Kõninger J et al). 2008;143:490-8
Friess H (*see* Welsch T et al). 2008;143:20-8
Frigatti P (*see* Antonello M et al). 2008;143:51-7
Frommhold K (*see* Welsch T et al). 2008;143:20-8
Fujimoto Y (*see* Sugitani I et al). 2008;143:35-42
Fujita T. Serum interleukin-15 level in patients with severe acute pancreatitis. 2008;143:451
Fujita T. The heparins: all a surgeon should know. 2008;143:835
Fukuda E (*see* Hashimoto Y et al). 2008;143:113-25

G

Garvey C (*see* Smith RA et al). 2008;143:658-66
Gaunt ME (*see* Walsh SR et al). 2008;143:466-8
Genyk Y (*see* Mateo R et al). 2008;143:451-2
Germanos S (*see* Gourgiotis S et al). 2008;143:568-9
Gertler JP, Hu A, Simon J. Technology and financing strategies in the development of life science companies. 2008;143:198-205
Gertner M (*see* Krummel TM et al). 2008;143:183-91
Ghaneh P (*see* Smith RA et al). 2008;143:658-66
Ghosh Kar A (*see* Sharma D et al). 2008;143:570-1
Ghossein RA (*see* Strong VE et al). 2008;143:759-68
Gingles B, Knechtle S. Surgical invention and commercialization. 2008;143:175-81
Giovannini I (*see* Nuzzo G et al). 2008;143:384-93
Giraudo G, Greget M, Oussoultzoglou E, Rosso E, Bachellier P, Jaeck D. Preoperative contralateral portal vein embolization before major hepatic resection is a safe and efficient procedure: A large single institution experience. 2008;143:476-82
Giriş M (*see* Erbil Y et al). 2008;143:216-25
Giuffrida M (*see* Balakrishnan A et al). 2008;143:813-8
Giuliante F (*see* Nuzzo G et al). 2008;143:384-93
Gomatos IP (*see* Konstadoulakis MM et al). 2008;143:366-74
Gomez RS (*see* Sarquis MS et al). 2008;143:630-40
Gooszen HG (*see* van Santvoort HC et al). 2008;143:1-7
Gourgiotis S (*see* Ridolfini MP et al). 2008;143:691-2
Gourgiotis S, Moustafellos P, Germanos S. Undifferentiated embryonal sarcoma of the liver in adult. 2008;143:568-9
Grant CS (*see* Zakaria S et al). 2008;143:641-7

Greenstein AJ, Byrn JC, Zhang LP, Swedish KA, Jahn AE, Divino CM. Risk factors for the development of fulminant Clostridium difficile colitis. 2008;143:623-9
Greget M (*see* Giraudo G et al). 2008;143:476-82
Grego F (*see* Antonello M et al). 2008;143:51-7
Gregory SH (*see* Harty MW et al). 2008;143:667-78
Grifiss JM (*see* Stewart L et al). 2008;143:103-12
Gruber S, Michlits W, Papp C. The new distal soleus adiposal pull-through composite flap for reconstruction of defects overlying the Achilles tendon: The anatomy and clinical experience. 2008;143:441-6
Gruenberger B (*see* Tamandl D et al). 2008;143:648-57
Gruenberger T (*see* Tamandl D et al). 2008;143:648-57
Guo H (*see* Emani S et al). 2008;143:803-12
Guo L (*see* Emani S et al). 2008;143:803-12
Gurevich-Uvena J (*see* Stojadinovic A et al). 2008;143:732-42

H

Hallén M, Bergenfelz A, Westerdahl J. Laparoscopic extraperitoneal inguinal hernia repair versus open mesh repair: long-term follow-up of a randomized controlled trial. 2008;143:313-7
Harken AH (*see* Baldwin ZK et al). 2008;143:305-12
Harrison JD (*see* Young JM et al). 2008;143:582-8
Harty MW, Papa EF, Huddleston HM, Young E, Nazareth S, Riley CA, Ramm GA, Gregory SH, Tracy TF Jr. Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers. 2008;143:667-78
Hashimoto Y, Murakami Y, Uemura K, Hayashidani Y, Sudo T, Ohge H, Fukuda E, Sueda T, Hiyama E. Detection of human telomerase reverse transcriptase (hTERT) expression in tissue and pancreatic juice from pancreatic cancer. 2008;143:113-25
Hassan I (*see* Schlosser K et al). 2008;143:352-8
Hatano E (*see* Seo S et al). 2008;143:769-77
Hayashidani Y (*see* Hashimoto Y et al). 2008;143:113-25
He Z (*see* Liu Q et al). 2008;143:509-18
Healey P (*see* Smith RA et al). 2008;143:658-66
Healy GB (*see* Randolph and Healy). 2008;143:153-4
Heisterkamp J (*see* Marsman HA et al). 2008;143:695
Heller CA, Michelassi F, Shuler ML. Accelerating innovation between surgeons and biomedical engineers in the academic setting. 2008;143:171-5
Hémon B (*see* Mariette C et al). 2008;143:58-71
Heneghan S (*see* Doty B et al). 2008;143:599-606
Henmi A (*see* Tomizuka T et al). 2008;143:449-50
Henry LR (*see* Stojadinovic A et al). 2008;143:732-42
Herberger B (*see* Tamandl D et al). 2008;143:648-57
Herrera MF (*see* Camilleri M et al). 2008;143:723-31
Higashi T (*see* Seo S et al). 2008;143:769-77
Hinz U (*see* Welsch T et al). 2008;143:20-8
Hirose R (*see* Park Y et al). 2008;143:243-51
Hiyama E (*see* Hashimoto Y et al). 2008;143:113-25
Honegger U (*see* Rickenbacher A et al). 2008;143:94-102
Horiuchi H (*see* Ogata T et al). 2008;143:545-55
Horovitz JH (*see* Yopp AC et al). 2008;143:150-1
Hoskin TL (*see* Zakaria S et al). 2008;143:641-7
Hou X (*see* Song G-Q et al). 2008;143:72-8
Houghton SG, Iqbal CW, Duenes JA, Fatima J, Kasparek MS, Sarr MG. Coordinated, diurnal hexose transporter expression in rat small bowel: Implications for small bowel resection. 2008;143:79-93
Howard RS (*see* Stojadinovic A et al). 2008;143:732-42
Howard TJ (*see* Zyromski and Howard). 2008;143:566-7
Hsieh K-C (*see* Chou F-F et al). 2008;143:526-32
Hu A (*see* Gertler JP et al). 2008;143:198-205
Hu B (*see* Ren X et al). 2008;143:790-802
Hua M, Munson R, Lucas A, Rovelstad S, Klingensmith M, Kodner IJ. Medical treatment of Jehovah's witnesses. 2008;143:463-5
Huang Y-J, Wu M-H, Lin M-T. Multiple small-bowel intussusceptions caused by metastatic lung cancers. 2008;143:148-9
Huddleston HM (*see* Harty MW et al). 2008;143:667-78
Hughes M (*see* Smith RA et al). 2008;143:658-66

I

Iizuka S (*see* Tokita Y et al). 2008;143:226-32
Ikai I (*see* Eguchi S et al). 2008;143:469-75
Ikai I (*see* Seo S et al). 2008;143:769-77
Ikeda K (*see* Morita M et al). 2008;143:499-508
Illuminati G, Ricco J-B, Caliò FG, D'Urso A, Ceccanei G, Vietri F. Results in a consecutive series of 83 surgical corrections of symptomatic stenotic kinking of the internal carotid artery. 2008;143:134-9
Imamura S (*see* Tokita Y et al). 2008;143:226-32
Imasato M (*see* Ueda S et al). 2008;143:414-25
Ingrand P (*see* Bouche G et al). 2008;143:699-705
Iqbal CW (*see* Houghton SG et al). 2008;143:79-93
Irani J (*see* Balakrishnan A et al). 2008;143:813-8
Ishii Y (*see* Tomizuka T et al). 2008;143:449-50
Ito H (*see* Waseem T et al). 2008;143:334-42
Iwaisako K (*see* Seo S et al). 2008;143:769-77
Iyer SG (*see* Wang C-C et al). 2008;143:686-90
Izbicki JR (*see* Baumann HJ et al). 2008;143:426-33
Izumi Y, Kawamura M, Adachi T, Kobayashi K. Reply: Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model. 2008;143:153

J

Jacob G (*see* Ramesh H et al). 2008;143:252-8
Jacob M (*see* Ramesh H et al). 2008;143:252-8
Jaeck D (*see* Giraudo G et al). 2008;143:476-82
Jahn AE (*see* Greenstein AJ et al). 2008;143:623-9
Jakesz R (*see* Tamandl D et al). 2008;143:648-57
Jansen JBMJ (*see* Buscher HCJL et al). 2008;143:715-22
Jarvinen L (*see* Welling TH et al). 2008;143:394-403
Jarvis GA (*see* Stewart L et al). 2008;143:103-12
Jawan B (*see* Concejero A et al). 2008;143:271-7
Jenkins P (*see* Doty B et al). 2008;143:599-606
Jia X (*see* Song Y et al). 2008;143:43-50
Jin J (*see* McGee MF et al). 2008;143:318-28
Johnsen G (*see* Camilleri M et al). 2008;143:723-31
Joseph S (*see* Pratt W et al). 2008;143:8-19
Jukemura J (*see* Machado MCC et al). 2008;143:29-34

K

Kakeji Y (*see* Morita M et al). 2008;143:499-508
Kaneko N, Kobayashi Y, Okada Y. Anatomic variations of the renal vessels pertinent to transperitoneal vascular control in the management of trauma. 2008;143:616-22
Kanematsu T (*see* Eguchi S et al). 2008;143:469-75
Kapran Y (*see* Erbil Y et al). 2008;143:216-25
Karakas E (*see* Schlosser K et al). 2008;143:352-8
Kase Y (*see* Tokita Y et al). 2008;143:226-32
Kasparek MS (*see* Houghton SG et al). 2008;143:79-93
Kasparek MS, Linden DR, Kreis ME, Sarr MG. Gasotransmitters in the gastrointestinal tract. 2008;143:455-9
Kasten M (*see* Bernard A et al). 2008;143:286-91
Kawamura M (*see* Izumi Y et al). 2008;143:153
Kazemier G (*see* Marsman HA et al). 2008;143:695
Kearney P (*see* Bernard A et al). 2008;143:286-91
Keil M (*see* Powell AC et al). 2008;143:750-8
Kennedy T (*see* Strong VE et al). 2008;143:759-68
Kent KC. Asymptomatic carotid artery disease - should diabetics be treated? 2008;143:572-3
Kim SJ (*see* Ueda S et al). 2008;143:414-25
Kitamura M (*see* Aoki T et al). 2008;143:706-14
Kleeff J (*see* Welsch T et al). 2008;143:20-8
Kligman MD, Dexter DJ, Omer S, Park AE. Shrinking cardiovascular risk through bariatric surgery: application of Framingham risk score in gastric bypass. 2008;143:533-8
Klingensmith M (*see* Hua M et al). 2008;143:463-5
Kluge S (*see* Baumann HJ et al). 2008;143:426-33

Kluivers KB, Riphagen I, Vierhout ME, Brölmann HAM, de Vet HCW. Systematic review on recovery specific quality-of-life instruments. 2008;143:206-15
Knechtle S (*see* Gingles and Knechtle). 2008;143:175-81
Knudson MB (*see* Camilleri M et al). 2008;143:723-31
Kobayashi K (*see* Izumi Y et al). 2008;143:153
Kobayashi Y (*see* Kaneko N et al). 2008;143:616-22
Koch KP (*see* Ulmer C et al). 2008;143:359-65
Kodner IJ (*see* Hua M et al). 2008;143:463-5
Kodner IJ. Surgeons and clinical ethics. 2008;143:460-2
Kojiro M (*see* Eguchi S et al). 2008;143:469-75
Köninger J, Seiler CM, Sauerland S, Wente MN, Reidel MA, Müller MW, Friess H, Büchler MW. Duodenum-preserving pancreatic head resection—A randomized controlled trial comparing the original Beger procedure with the Berne modification (ISRCTN No. 50638764). 2008;143:490-8
Konstadoulakis MM, Roayaie S, Gomatos IP, Labow D, Fiel M-I, Miller CM, Schwartz ME. Fifteen-year, single-center experience with the surgical management of intrahepatic cholangiocarcinoma: Operative results and long-term outcome. 2008;143:366-74
Kow L (*see* Camilleri M et al). 2008;143:723-31
Kraemer B (*see* Rajab TK et al). 2008;143:152
Kreis ME (*see* Kasparek MS et al). 2008;143:455-9
Kreymann G (*see* Baumann HJ et al). 2008;143:426-33
Krummel TM, Shafi BM, Wall J, Chandra V, Mery C, Gertner M. Intellectual property and royalty streams in academic departments: Myths and realities. 2008;143:183-91
Kubota K (*see* Mori S et al). 2008;143:556-65
Kudo M (*see* Eguchi S et al). 2008;143:469-75
Kulseng B (*see* Camilleri M et al). 2008;143:723-31
Kumar M (*see* Sharma D et al). 2008;143:570-1
Kumar S (*see* Sharma D et al). 2008;143:570-1
Kuo PC (*see* Emani S et al). 2008;143:803-12
Kuo W-R (*see* Chiang F-Y et al). 2008;143:743-9
Kuru B. Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm. 2008;143:835-6
Kwon E (*see* McCormack MC et al). 2008;143:126-33

L

Labow D (*see* Konstadoulakis MM et al). 2008;143:366-74
Lamadé W (*see* Ulmer C et al). 2008;143:359-65
Laor T (*see* Taylor JA et al). 2008;143:833-4
Laun RA (*see* Schroeder O et al). 2008;143:233-42
Lee K-W (*see* Chiang F-Y et al). 2008;143:743-9
Lee WY, Takahashi T, Pappas T, Mantyh CR, Ludwig KA. Surgical autonomic denervation results in altered colonic motility: an explanation for low anterior resection syndrome? 2008;143:778-83
Lekha V (*see* Ramesh H et al). 2008;143:252-8
Lepicard E. On people, institutions and machines: The seventieth anniversary of Carrel-Lindbergh heart perfusion apparatus. 2008;143:819-21
Lepidi S (*see* Antonello M et al). 2008;143:51-7
Leteurtre E (*see* Mariette C et al). 2008;143:58-71
Liang C-D (*see* Concejero A et al). 2008;143:271-7
Liao L-M (*see* Liu K-H et al). 2008;143:375-83
Libutti SK (*see* Powell AC et al). 2008;143:750-8
Lin C-C (*see* Concejero A et al). 2008;143:271-7
Lin C-C, Lin H-C. Effects of surgeon and hospital volume on 5-year survival rates following oral cancer resections: The experience of an Asian country. 2008;143:343-51
Lin H-C (*see* Lin and Lin). 2008;143:343-51
Lin M-T (*see* Huang Y-J et al). 2008;143:148-9
Lin M-T (*see* Wu M-H et al). 2008;143:693-4
Lin T-S (*see* Wang C-C et al). 2008;143:686-90
Linden DR (*see* Kasparek MS et al). 2008;143:455-9
Liou C-W (*see* Chou F-F et al). 2008;143:526-32
Liu K-H, Liao L-M, Ro L-S, Wu Y-L, Yeh T-S. Thalidomide attenuates tumor growth and preserves fast-twitch skeletal muscle fibers in cholangiocarcinoma rats. 2008;143:375-83
Liu Q (*see* Song Y et al). 2008;143:43-50
Liu Q, Ma K, Song Y, Zhou N, He Z. Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: Does increased hepatic arterial flow induce liver regeneration? 2008;143:509-18
Liu Y-W (*see* Concejero A et al). 2008;143:271-7
Lo CY (*see* Masters RSW et al). 2008;143:140-5
Lu G (*see* Welling TH et al). 2008;143:394-403
Lu I-C (*see* Chiang F-Y et al). 2008;143:743-9
Lucas A (*see* Hua M et al). 2008;143:463-5
Ludwig KA (*see* Lee WY et al). 2008;143:778-83

M

Ma K (*see* Liu Q et al). 2008;143:509-18
Machado MAC (*see* Machado MCC et al). 2008;143:29-34
Machens A, Dralle H. Pheochromocytoma penetrance varies by RET mutation in MEN 2A. 2008;143:696
Mado K (*see* Tomizuka T et al). 2008;143:449-50
Maehara Y (*see* Morita M et al). 2008;143:499-508
Mahdy T, Youssef T, Elmonem HA, Omar W, Elateef AA. T4 sympathectomy for palmar hyperhidrosis: looking for the right operation. 2008;143:784-9
Makashay MJ (*see* Stojadinovic A et al). 2008;143:732-42
Makuuchi M (*see* Eguchi S et al). 2008;143:469-75
Manara R (*see* Ballotta E et al). 2008;143:519-25
Manning E (*see* Bernard A et al). 2008;143:286-91
Mantyh CR (*see* Lee WY et al). 2008;143:778-83
Marechal R. Improper selection of study end-point may mislead statistical results. 2008;143:298
Mariette C, Piessen G, Leteurtre E, Hémon B, Triboulet J-P, Van Seuningen I. Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase. 2008;143:58-71
Markel TA (*see* Crisostomo PR et al). 2008;143:577-81
Marks JM (*see* McGee MF et al). 2008;143:318-28
Marsman HA, Heisterkamp J, Kazemier G. Re: Management in patients with liver cirrhosis and an umbilical hernia. 2008;143:695
Marvik R (*see* Camilleri M et al). 2008;143:723-31
Maschuw K (*see* Schlosser K et al). 2008;143:352-8
Masters RSW, Lo CY, Maxwell JP, Patil NG. Implicit motor learning in surgery: Implications for multi-tasking. 2008;143:140-5
Masuda H (*see* Tomizuka T et al). 2008;143:449-50
Mateo R, Stapfer M, Sher L, Selby R, Genyk Y. Intraoperative umbilical herniorrhaphy during liver transplantation. 2008;143:451-2
Mathoulin-Pélissier S (*see* Bouche G et al). 2008;143:699-705
Matsumoto C (*see* Tanaka K et al). 2008;143:607-15
Matsuo K (*see* Tanaka K et al). 2008;143:259-70
Matsuo K (*see* Tanaka K et al). 2008;143:607-15
Matsuyama Y (*see* Eguchi S et al). 2008;143:469-75
Matteson DT (*see* McGee MF et al). 2008;143:318-28
Maxwell JP (*see* Masters RSW et al). 2008;143:140-5
Mazaki T (*see* Tomizuka T et al). 2008;143:449-50
McCormack MC, Kwon E, Eberlin KR, Randolph M, Friend DS, Thomas AC, Watkins MT, Austen WG Jr. Development of reproducible histologic injury severity scores: Skeletal muscle reperfusion injury. 2008;143:126-33
McGee MF, Schomisch SJ, Marks JM, Delaney CP, Jin J, Williams C, Chak A, Matteson DT, Andrews J, Ponsky JL. Late phase TNF-alpha depression in natural orifice translumenal endoscopic surgery (NOTES) peritoneoscopy. 2008;143:318-28
Meier C (*see* Bernard A et al). 2008;143:286-91
Meijer S (*see* Scheepers JJG et al). 2008;143:278-85
Meldrum DR (*see* Crisostomo PR et al). 2008;143:577-81
Meneghetti G (*see* Ballotta E et al). 2008;143:519-25
Mery C (*see* Krummel TM et al). 2008;143:183-91
Meyding-Lamadé U (*see* Ulmer C et al). 2008;143:359-65
Meyer A (*see* Baumann HJ et al). 2008;143:426-33
Michelassi F (*see* Heller CA et al). 2008;143:171-5

Michlits W (*see* Gruber S et al). 2008;143:441-6
Migeot V (*see* Bouche G et al). 2008;143:699-705
Miller CM (*see* Konstadoulakis MM et al). 2008;143:366-74
Miyoshi Y (*see* Ueda S et al). 2008;143:414-25
Moley JF (*see* Quayle FJ et al). 2008;143:697
Molnar V (*see* Ulmer C et al). 2008;143:359-65
Monden M (*see* Eguchi S et al). 2008;143:469-75
Moody FG (*see* Camilleri M et al). 2008;143:723-31
Mori A (*see* Seo S et al). 2008;143:769-77
Mori S, Sawada T, Okada T, Kubota K. Erythropoietin and its derivative protect the intestine from severe ischemia/reperfusion injury in the rat. 2008;143:556-65
Morita M, Yoshida R, Ikeda K, Egashira A, Oki E, Sadanaga N, Kakeji Y, Yamanaka T, Maehara Y. Advances in esophageal cancer surgery in Japan: An analysis of 1000 consecutive patients treated at a single institute. 2008;143:499-508
Moustafellos P (*see* Gourgiotis S et al). 2008;143:568-9
Mulder C (*see* Scheepers JJG et al). 2008;143:278-85
Müller MW (*see* Köninger J et al). 2008;143:490-8
Munson R (*see* Hua M et al). 2008;143:463-5
Murakami Y (*see* Hashimoto Y et al). 2008;143:113-25
Murr MM (*see* Peng Y et al). 2008;143:679-85

N

Nagano Y (*see* Tanaka K et al). 2008;143:607-15
Nakajima A (*see* Seo S et al). 2008;143:769-77
Nakamoto Y (*see* Seo S et al). 2008;143:769-77
Nakanuma Y (*see* Eguchi S et al). 2008;143:469-75
Nazareth S (*see* Harty MW et al). 2008;143:667-78
Neoptolemos JP (*see* Smith RA et al). 2008;143:658-66
Ng VL (*see* Baldwin ZK et al). 2008;143:305-12
Niemann CU (*see* Park Y et al). 2008;143:243-51
Noda K (*see* Aoki T et al). 2008;143:706-14
Noguchi S (*see* Ueda S et al). 2008;143:414-25
Nousiainen M, Brydges R, Backstein D, Dubrowski A. Comparison of expert instruction and computer-based video training in teaching fundamental surgical skills to medical students. 2008;143:539-44
Nuzzo G, Giuliante F, Ardito F, Vellone M, Giovannini I, Federico B, Vecchio FM. Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience. 2008;143:384-93

O

Ogata T, Yamashita K, Horiuchi H, Okuda K, Todo S. A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy. 2008;143:545-55
Ohge H (*see* Hashimoto Y et al). 2008;143:113-25
Okada T (*see* Mori S et al). 2008;143:556-65
Okada Y (*see* Kaneko N et al). 2008;143:616-22
Okazaki M (*see* Eguchi S et al). 2008;143:469-75
Oki E (*see* Morita M et al). 2008;143:499-508
Okishiro N (*see* Ueda S et al). 2008;143:414-25
Okita K (*see* Eguchi S et al). 2008;143:469-75
Okuda K (*see* Ogata T et al). 2008;143:545-55
Oláh A. Aladár Petz, the inventor of the modern surgical staplers. 2008;143:146-7
Omar W (*see* Mahdy T et al). 2008;143:784-9
Omata M (*see* Eguchi S et al). 2008;143:469-75
Omer S (*see* Kligman MD et al). 2008;143:533-8
Oussoultzoglou E (*see* Giraudo G et al). 2008;143:476-82
Ozarmagan S (*see* Erbil Y et al). 2008;143:216-25
Ozluk Y (*see* Erbil Y et al). 2008;143:216-25

P

Pantoja JP (*see* Camilleri M et al). 2008;143:723-31
Pantvaidya G (*see* Zakaria S et al). 2008;143:641-7
Papa EF (*see* Harty MW et al). 2008;143:667-78
Papp C (*see* Gruber S et al). 2008;143:441-6
Pappas T (*see* Lee WY et al). 2008;143:778-83
Park AE (*see* Kligman MD et al). 2008;143:533-8
Park Y, Hirose R, Dang K, Xu F, Behrends M, Tan V, Roberts JP, Niemann CU. Increased severity of renal ischemia-reperfusion injury with venous clamping compared to arterial clamping in a rat model. 2008;143:243-51
Patil NG (*see* Masters RSW et al). 2008;143:140-5
Patronas NJ (*see* Powell AC et al). 2008;143:750-8
Pawlik TM. Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma. 2008;143:299
Peng Y, Sigua CA, Rideout D, Murr MM. Deletion of toll-like receptor-4 downregulates protein kinase C-ζ and attenuates liver injury in experimental pancreatitis. 2008;143:679-85
Phillips ARJ (*see* Flint RS et al). 2008;143:404-13
Piessen G (*see* Mariette C et al). 2008;143:58-71
Pimenta FJ (*see* Sarquis MS et al). 2008;143:630-40
Pingpank JF (*see* Powell AC et al). 2008;143:750-8
Plasse M (*see* Scatton O et al). 2008;143:483-9
Platt AC, Evans RW, Platt JL. "Commercialization," a perspective. 2008;143:157-61
Platt JL (*see* Platt AC et al). 2008;143:157-61
Ponsky JL (*see* McGee MF et al). 2008;143:318-28
Pories WJ. The I.V. League (cartoon). 2008;143:102, 251, 328, 518, 588, 714
Powell AC, Stratakis CA, Patronas NJ, Steinberg SM, Batista D, Richard Alexander H, Pingpank JF, Keil M, Bartlett DL, Libutti SK. Operative management of Cushing Syndrome secondary to micronodular adrenal hyperplasia. 2008;143:750-8
Power SE (*see* Flint RS et al). 2008;143:404-13
Pratt W, Joseph S, Callery MP, Vollmer CM Jr. POSSUM accurately predicts morbidity for pancreatic resection. 2008;143:8-19
Puhalla H (*see* Tamandl D et al). 2008;143:648-57
Pulipati R (*see* Yopp AC et al). 2008;143:150-1

Q

Qian W (*see* Song G-Q et al). 2008;143:72-8
Qiao L (*see* Song Y et al). 2008;143:43-50
Quayle FJ, Fialkowski EA, Benveniste R, Moley JF. Re: Pheochromocytoma penetrance varies by RET mutation in MEN 2A. 2008;143:697

R

Rajab TK, Wallwiener M, Kraemer B, Wallwiener C. Evaluation of cross-linked poly gamma-glutamic acid and Interceed in a rat adhesion model. 2008;143:152
Ramesh H, Jacob G, Venugopal A, Lekha V, Jacob M. Surgical management of chronic pancreatitis with portal hypertension—a 19-year experience. 2008;143:252-8
Ramm GA (*see* Harty MW et al). 2008;143:667-78
Randolph GW, Healy GB. Otolaryngology and the American Association of Endocrine Surgery: Time for a change. 2008;143:153-4
Randolph M (*see* McCormack MC et al). 2008;143:126-33
Raraty M (*see* Smith RA et al). 2008;143:658-66
Reidel MA (*see* Köninger J et al). 2008;143:490-8
Ren X, Hu B, Colletti L. Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy. 2008;143:790-802
Reynolds CA (*see* Zakaria S et al). 2008;143:641-7
Rhoads DB (*see* Balakrishnan A et al). 2008;143:813-8
Ricco J-B (*see* Illuminati G et al). 2008;143:134-9
Richard Alexander H (*see* Powell AC et al). 2008;143:750-8
Rickenbacher A, Seiler R, Honegger U, Shaw SG, Balsiger BM. Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation. 2008;143:94-102
Rideout D (*see* Peng Y et al). 2008;143:679-85

Ridolfini MP, Gourgiotis S, Alfieri S, Doglietto GB. Retroperitoneal pararenal Castleman s disease. 2008;143:691-2
Rieb N (*see* Doty B et al). 2008;143:599-606
Riley CA (*see* Harty MW et al). 2008;143:667-78
Riphagen I (*see* Kluivers KB et al). 2008;143:206-15
Ro L-S (*see* Liu K-H et al). 2008;143:375-83
Roayaie S (*see* Konstadoulakis MM et al). 2008;143:366-74
Roberts JP (*see* Park Y et al). 2008;143:243-51
Robinson MK (*see* Waseem T et al). 2008;143:334-42
Rosso E (*see* Giraudo G et al). 2008;143:476-82
Rothmund M (*see* Schlosser K et al). 2008;143:352-8
Rounds J (*see* Balakrishnan A et al). 2008;143:813-8
Rovelstad S (*see* Hua M et al). 2008;143:463-5

S

Sachs DH. Patents and research: Friends or foes? 2008;143:191-3
Sadanaga N (*see* Morita M et al). 2008;143:499-508
Sadik KW, Bonatti H, Schmitt T. Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis. 2008;143:574
Safioleas C (*see* Safioleas M et al). 2008;143:299-300
Safioleas M, Safioleas P, Stamatakos M, Safioleas C. Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence. 2008;143:299-300
Safioleas P (*see* Safioleas M et al). 2008;143:299-300
Sahani D (*see* Donahue J et al). 2008;143:830-2
Salamon R (*see* Bouche G et al). 2008;143:699-705
Salkeld G (*see* Young JM et al). 2008;143:582-8
Salmaslıoglu A (*see* Erbil Y et al). 2008;143:216-25
Samuel I. Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis. 2008;143:434-40
Sarquis MS, Silveira LG, Pimenta FJ, Dias EP, Teh BT, Friedman E, Gomez RS, Tavares GC, Eng C, De Marco L. Familial hyperparathyroidism: surgical outcome after 30 years of follow-up in three families with germline *HRPT2* mutations. 2008;143:630-40
Sarr MG (*see* Houghton SG et al). 2008;143:79-93
Sarr MG (*see* Kasparek MS et al). 2008;143:455-9
Sarr MG (*see* Warshaw and Sarr). 2008;143:157
Satiani B. Specialty hospitals: Who do they help? 2008;143:589-98
Satoh K (*see* Tokita Y et al). 2008;143:226-32
Sauerland S (*see* Kōninger J et al). 2008;143:490-8
Sauvanet A (*see* Scatton O et al). 2008;143:483-9
Sawada T (*see* Mori S et al). 2008;143:556-65
Scatton O, Plasse M, Dondero F, Vilgrain V, Sauvanet A, Belghiti J. Impact of localized congestion related to venous deprivation after hepatectomy. 2008;143:483-9
Scheepers JJG, Veenhof XAFA, van der Peet DL, van Groeningen C, Mulder C, Meijer S, Cuesta MA. Laparoscopic transhiatal resection for malignancies of the distal esophagus: Outcome of the first 50 resected patients. 2008;143:278-85
Schima W (*see* Tamandl D et al). 2008;143:648-57
Schindl M (*see* Tamandl D et al). 2008;143:648-57
Schipper EE (*see* Buscher HCJL et al). 2008;143:715-22
Schlosser K, Maschuw K, Hassan I, Karakas E, Sebastian H, Slater EP, Rothmund M, Domínguez Fernández E. Are diabetic patients at a greater risk to develop a vocal fold palsy during thyroid surgery than nondiabetic patients? 2008;143:352-8
Schmidt J (*see* Welsch T et al). 2008;143:20-8
Schmitt T (*see* Sadik KW et al). 2008;143:574
Schomisch SJ (*see* McGee MF et al). 2008;143:318-28
Schoppmann SF (*see* Tamandl D et al). 2008;143:648-57
Schroeder J (*see* Schroeder O et al). 2008;143:233-42
Schroeder O, Schulte K-M, Schroeder J, Ekkernkamp A, Laun RA. The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: A prospective cohort study. 2008;143:233-42
Schulte K-M (*see* Schroeder O et al). 2008;143:233-42
Schwartz ME (*see* Konstadoulakis MM et al). 2008;143:366-74
Sebastian H (*see* Schlosser K et al). 2008;143:352-8
Seiler CM (*see* Köninger J et al). 2008;143:490-8
Seiler R (*see* Rickenbacher A et al). 2008;143:94-102
Seimer A (*see* Ulmer C et al). 2008;143:359-65
Selby R (*see* Mateo R et al). 2008;143:451-2
Seo S, Hatano E, Higashi T, Nakajima A, Nakamoto Y, Tada M, Tamaki N, Iwaisako K, Mori A, Doi R, Ikai I, Uemoto S. Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma. 2008;143:769-77
Shafi BM (*see* Krummel TM et al). 2008;143:183-91
Sharma D, Kumar S, Tandon A, Ghosh Kar A, Kumar M, Shukla VK. Primary rectal teratoma. 2008;143:570-1
Shaw SG (*see* Rickenbacher A et al). 2008;143:94-102
Shen H (*see* Song Y et al). 2008;143:43-50
Sher L (*see* Mateo R et al). 2008;143:451-2
Shimada H (*see* Tanaka K et al). 2008;143:259-70
Shimada H (*see* Tanaka K et al). 2008;143:607-15
Shimazu K (*see* Ueda S et al). 2008;143:414-25
Shriver CD (*see* Stojadinovic A et al). 2008;143:732-42
Shukla VK (*see* Sharma D et al). 2008;143:570-1
Shuler ML (*see* Heller CA et al). 2008;143:171-5
Sigua CA (*see* Peng Y et al). 2008;143:679-85
Silveira LG (*see* Sarquis MS et al). 2008;143:630-40
Simon J (*see* Gertler JP et al). 2008;143:198-205
Slater EP (*see* Schlosser K et al). 2008;143:352-8
Smith RA, Bosonnet L, Ghaneh P, Sutton R, Evans J, Healey P, Garvey C, Hughes M, Raraty M, Campbell F, Neoptolemos JP. The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer. 2008;143:658-66
Solomon MJ (*see* Young JM et al). 2008;143:582-8
Solomon NP (*see* Stojadinovic A et al). 2008;143:732-42
Song G-Q, Hou X, Yang B, Sun Y, Qian W, Chen JDZ. A novel method of 2-channel dual-pulse gastric electrical stimulation improves solid gastric emptying in dogs. 2008;143:72-8
Song Y (*see* Liu Q et al). 2008;143:509-18
Song Y, Liu Q, Shen H, Jia X, Zhang H, Qiao L. Diagnosis and management of primary aortoenteric fistulas-experience learned from eighteen patients. 2008;143:43-50
Spitzer AL (*see* Baldwin ZK et al). 2008;143:305-12
Stamatakos M (*see* Safioleas M et al). 2008;143:299-300
Stapfer M (*see* Mateo R et al). 2008;143:451-2
Stearns AT (*see* Balakrishnan A et al). 2008;143:813-8
Steinberg SM (*see* Powell AC et al). 2008;143:750-8
Sterioff S (*see* Zakaria S et al). 2008;143:641-7
Stewart L, Grifiss JM, Jarvis GA, Way LW. Elderly patients have more severe biliary infections: Influence of complement-killing and induction of TNFα production. 2008;143:103-12
Stoddard SL, Danielsen AJ. What makes an idea or discovery marketable—and approaches to maximize success. 2008;143:161-4
Stojadinovic A, Henry LR, Howard RS, Gurevich-Uvena J, Makashay MJ, Coppit GL, Shriver CD, Solomon NP. Prospective trial of voice outcomes after thyroidectomy: Evaluation of patient-reported and clinician-determined voice assessments in identifying postthyroidectomy dysphonia. 2008;143:732-42
Stossel TP. A biopsy of financial conflicts of interest in medicine. 2008;143:193-8
Stramanà R (*see* Antonello M et al). 2008;143:51-7
Stratakis CA (*see* Powell AC et al). 2008;143:750-8
Strong VE, Kennedy T, Al-Ahmadie H, Tang L, Coleman J, Fong Y, Brennan M, Ghossein RA. Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis. 2008;143:759-68
Sudo T (*see* Hashimoto Y et al). 2008;143:113-25
Sueda T (*see* Hashimoto Y et al). 2008;143:113-25
Sugitani I, Fujimoto Y, Yamamoto N. Papillary thyroid carcinoma with distant metastases: Survival predictors and the importance of local control. 2008;143:35-42
Sun Y (*see* Song G-Q et al). 2008;143:72-8

Sutton R (*see* Smith RA et al). 2008;143:658-66
Swedish KA (*see* Greenstein AJ et al). 2008;143:623-9

T

Tada M (*see* Seo S et al). 2008;143:769-77
Taguchi T (*see* Ueda S et al). 2008;143:414-25
Takahashi T (*see* Lee WY et al). 2008;143:778-83
Takayama T (*see* Tomizuka T et al). 2008;143:449-50
Takayasu K (*see* Eguchi S et al). 2008;143:469-75
Takeda S (*see* Tokita Y et al). 2008;143:226-32
Tamaki N (*see* Seo S et al). 2008;143:769-77
Tamaki Y (*see* Ueda S et al). 2008;143:414-25
Tamandl D, Herberger B, Gruenberger B, Schoppmann SF, Puhalla H, Schindl M, Schima W, Jakesz R, Gruenberger T. Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases. 2008;143:648-57
Tan V (*see* Park Y et al). 2008;143:243-51
Tanaka K, Shimada H, Matsumoto C, Matsuo K, Nagano Y, Endo I, Togo S. Anatomic versus limited nonanatomic resection for solitary hepatocellular carcinoma. 2008;143:607-15
Tanaka K, Shimada H, Ueda M, Matsuo K, Endo I, Togo S. Role of hepatectomy in treating multiple bilobar colorectal cancer metastases. 2008;143:259-70
Tanaka S (*see* Aoki T et al). 2008;143:706-14
Tandon A (*see* Sharma D et al). 2008;143:570-1
Tang L (*see* Strong VE et al). 2008;143:759-68
Tang TY (*see* Walsh SR et al). 2008;143:466-8
Tanji Y (*see* Ueda S et al). 2008;143:414-25
Tavakkolizadeh A (*see* Balakrishnan A et al). 2008;143:813-8
Tavares GC (*see* Sarquis MS et al). 2008;143:630-40
Taylor JA, Laor T, Warner BW. Extralobar pulmonary sequestration. 2008;143:833-4
Teh BT (*see* Sarquis MS et al). 2008;143:630-40
Thomas AC (*see* McCormack MC et al). 2008;143:126-33
Thon K-P (*see* Ulmer C et al). 2008;143:359-65
Timmerman HM (*see* van Santvoort HC et al). 2008;143:1-7
Todo S (*see* Ogata T et al). 2008;143:545-55
Togo S (*see* Tanaka K et al). 2008;143:259-70
Togo S (*see* Tanaka K et al). 2008;143:607-15
Tokita Y, Yuzurihara M, Satoh K, Iizuka S, Imamura S, Kase Y, Takeda S. The cholinergic nervous system plays an important role in rat postoperative intestinal adhesion. 2008;143:226-32
Tomizuka T, Mazaki T, Mado K, Henmi A, Ishii Y, Masuda H, Takayama T. A case of gastritis cystica profunda. 2008;143:449-50
Tompkins RG (*see* Toner and Tompkins). 2008;143:168-71
Toneguzzo F. From innovation to successful commercialization: Assessing value and investment-does the equation make sense? 2008;143:165-8
Toner M, Tompkins RG. Invention, innovation, entrepreneurship in academic medical centers. 2008;143:168-71
Toouli J (*see* Camilleri M et al). 2008;143:723-31
Tracy TF Jr (*see* Harty MW et al). 2008;143:667-78
Triboulet J-P (*see* Mariette C et al). 2008;143:58-71
Tsai H-I (*see* Wu M-H et al). 2008;143:693-4
Tso L (*see* Donahue J et al). 2008;143:830-2
Tweden KS (*see* Camilleri M et al). 2008;143:723-31

U

Ueda M (*see* Tanaka K et al). 2008;143:259-70
Ueda S, Tamaki Y, Yano K, Okishiro N, Yanagisawa T, Imasato M, Shimazu K, Kim SJ, Miyoshi Y, Tanji Y, Taguchi T, Noguchi S. Cosmetic outcome and patient satisfaction after skin-sparing mastectomy for breast cancer with immediate reconstruction of the breast. 2008;143:414-25
Ueda T. Serum interleukin-15 level in patients with severe acute pancreatitis 2008;143:695-6
Uemoto S (*see* Seo S et al). 2008;143:769-77
Uemura K (*see* Hashimoto Y et al). 2008;143:113-25
Ulmer C, Koch KP, Seimer A, Molnar V, Meyding-Lamadé U, Thon K-P, Lamadé W. Real-time monitoring of the recurrent laryngeal nerve: An observational clinical trial. 2008;143:359-65
Umekita N (*see* Aoki T et al). 2008;143:706-14

V

Vacanti JP. Tissue engineering: From bench to bedside via commercialization. 2008;143:181-3
van der Peet DL (*see* Scheepers JJG et al). 2008;143:278-85
van Goor H (*see* Buscher HCJL et al). 2008;143:715-22
van Groeningen C (*see* Scheepers JJG et al). 2008;143:278-85
van Minnen LP (*see* van Santvoort HC et al). 2008;143:1-7
van Santvoort HC, Besselink MG, Timmerman HM, van Minnen LP, Akkermans LM, Gooszen HG. Probiotics in surgery. 2008;143:1-7
Van Seuningen I (*see* Mariette C et al). 2008;143:58-71
Vecchio FM (*see* Nuzzo G et al). 2008;143:384-93
Veenhof XAFA (*see* Scheepers JJG et al). 2008;143:278-85
Vellone M (*see* Nuzzo G et al). 2008;143:384-93
Venugopal A (*see* Ramesh H et al). 2008;143:252-8
Vierhout ME (*see* Kluivers KB et al). 2008;143:206-15
Vietri F (*see* Illuminati G et al). 2008;143:134-9
Vilgrain V (*see* Scatton O et al). 2008;143:483-9
Vollmer CM Jr (*see* Pratt W et al). 2008;143:8-19
Vollmer M (*see* Camilleri M et al). 2008;143:723-31

W

Wall J (*see* Krummel TM et al). 2008;143:183-91
Wallwiener C (*see* Rajab TK et al). 2008;143:152
Wallwiener M (*see* Rajab TK et al). 2008;143:152
Walsh SR, Tang TY, Farooq N, Coveney EC, Gaunt ME. Perioperative fluid restriction reduces complications after major gastrointestinal surgery. 2008;143:466-8
Wang C-C (*see* Concejero A et al). 2008;143:271-7
Wang C-C, Lin T-S, Chen C-L, Concejero AM, Iyer SG, Chiang Y-C. Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels. 2008;143:686-90
Wang M-Y (*see* Wu M-H et al). 2008;143:693-4
Wang S-H (*see* Concejero A et al). 2008;143:271-7
Wang Y (*see* Crisostomo PR et al). 2008;143:577-81
Warabi M (*see* Aoki T et al). 2008;143:706-14
Warner BW (*see* Taylor JA et al). 2008;143:833-4
Warshaw AL, Sarr MG. Profiting from innovation: An introduction. 2008;143:157
Waseem T, Duxbury M, Ito H, Ashley SW, Robinson MK. Exogenous ghrelin modulates release of pro-inflammatory and anti-inflammatory cytokines in LPS-stimulated macrophages through distinct signaling pathways. 2008;143:334-42
Watkins MT (*see* McCormack MC et al). 2008;143:126-33
Way LW (*see* Stewart L et al). 2008;143:103-12
Weigand MA (*see* Welsch T et al). 2008;143:20-8
Welling TH, Lu G, Csencsits K, Wood SC, Jarvinen L, Bishop DK. Regulation of alloimmune Th1 responses by the cyclin-dependent kinase inhibitor p21 following transplantation. 2008;143:394-403
Welsch T, Frommhold K, Hinz U, Weigand MA, Kleeff J, Friess H, Büchler MW, Schmidt J. Persisting elevation of C-reactive protein after pancreatic resections can indicate developing inflammatory complications. 2008;143:20-8
Wente MN (*see* Köninger J et al). 2008;143:490-8
Westerdahl J (*see* Hallén M et al). 2008;143:313-7
Wilder-Smith OHG (*see* Buscher HCJL et al). 2008;143:715-22
Williams C (*see* McGee MF et al). 2008;143:318-28
Wilson RR (*see* Camilleri M et al). 2008;143:723-31
Windsor JA (*see* Flint RS et al). 2008;143:404-13
Wood SC (*see* Welling TH et al). 2008;143:394-403
Wu B-G, Wu C-C, Chang Y-J. Torsion of the gallbladder. 2008;143:294-5

Wu C-C (*see* Wu B-G et al). 2008;143:294-5
Wu C-W (*see* Chiang F-Y et al). 2008;143:743-9
Wu M-H (*see* Huang Y-J et al). 2008;143:148-9
Wu M-H, Wang M-Y, Tsai H-I, Lin M-T. A loop formation of Meckel s diverticulum causes intestine ischemia. 2008;143: 693-4
Wu Y-L (*see* Liu K-H et al). 2008;143:375-83

X

Xu F (*see* Park Y et al). 2008;143:243-51

Y

Yamamoto N (*see* Sugitani I et al). 2008;143:35-42
Yamanaka T (*see* Morita M et al). 2008;143:499-508
Yamashita K (*see* Ogata T et al). 2008;143:545-55
Yanagisawa T (*see* Ueda S et al). 2008;143:414-25
Yang B (*see* Song G-Q et al). 2008;143:72-8
Yang C-H (*see* Concejero A et al). 2008;143:271-7
Yanık BT (*see* Erbil Y et al). 2008;143:216-25
Yano K (*see* Ueda S et al). 2008;143:414-25
Yeh T-S (*see* Liu K-H et al). 2008;143:375-83
Yekebas E (*see* Baumann HJ et al). 2008;143:426-33
Yong C-C (*see* Concejero A et al). 2008;143:271-7
Yopp AC, Pulipati R, Chorost MI, Horovitz JH. Cystic duct biliary adenoma. 2008;143:150-1
Yoshida R (*see* Morita M et al). 2008;143:499-508
Young E (*see* Harty MW et al). 2008;143:667-78
Young JM, Solomon MJ, Harrison JD, Salkeld G, Butow P. Measuring patient preference and surgeon choice. 2008;143:582-8
Youssef T (*see* Mahdy T et al). 2008;143:784-9
Yuzurihara M (*see* Tokita Y et al). 2008;143:226-32

Z

Zakaria S, Pantvaidya G, Reynolds CA, Grant CS, Sterioff S, Donohue JH, Farley DR, Hoskin TL, Degnim AC. Sentinel node positive breast cancer patients who do not undergo axillary dissection: Are they different? 2008;143:641-7
Zeitels SM. Re: Prospective trial of voice outcomes after thyroidectomy: Evaluation of patient-reported and clinician-determined voice assessments in identifying post-thyroidectomy dysphonia. 2008;143:822-3
Zhang H (*see* Song Y et al). 2008;143:43-50
Zhang J (*see* Emani S et al). 2008;143:803-12
Zhang LP (*see* Greenstein AJ et al). 2008;143:623-9
Zhou N (*see* Liu Q et al). 2008;143:509-18
Zuckerman R (*see* Doty B et al). 2008;143:599-606
Zyromski NJ, Howard TJ. Acute superior mesenteric—portal vein thrombosis after pancreaticoduodenectomy: treatment by operative thrombectomy. 2008;143:566-7

SUBJECT INDEX*

A

Abnormalities, radiation-induced
Long-term follow-up after parathyroidectomy for radiation-induced hyperparathyroidism (Ippolito et al) 2007;142:819-22. Correction. 2008;143:302

Academic medical centers
Accelerating innovation between surgeons and biomedical engineers in the academic setting (Heller et al). 2008;143:171-5 (Editorial)
"Commercialization," a perspective (Platt et al). 2008;143:157-61 (Editorial)
Intellectual property and royalty streams in academic departments: myths and realities (Krummel et al). 2008;143:183-91 (Editorial)
Invention, innovation, entrepreneurship in academic medical centers (Toner and Tompkins). 2008;143:168-71 (Editorial)
What makes an idea or discovery marketable—and approaches to maximize success (Stoddard and Danielsen). 2008;143:161-4 (Editorial)

Achilles tendon
The new distal soleus adiposal pull-through composite flap for reconstruction of defects overlying the Achilles tendon: the anatomy and clinical experience (Gruber et al). 2008;143:441-6

Adenocarcinoma
Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma (Pawlik). 2008;143:299 (Letter)

Adenocarcinoma, follicular
Does the presence of additional thyroid nodules on ultrasound alter the risk of malignancy in patients with a follicular neoplasm of the thyroid? (Sippel et al) 2007;142:815-7. Correction. 2008;143:302

Adenocarcinoma, mucinous
Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase (Mariette et al). 2008;143:58-71

Adenocarcinoma, papillary
Utilization of total thyroidectomy for papillary thyroid cancer in the United States (Bilimoria et al) 2007;142:906-13. Correction. 2008;143:302

Adenoma
Cystic duct biliary adenoma (Yopp et al). 2008;143:150-1

Adhesions
The cholinergic nervous system plays an important role in rat postoperative intestinal adhesion (Tokita et al). 2008;143:226-32
Evaluation of cross-linked poly gamma-glutamic acid and Interceed in a rat adhesion model (Rajab et al). 2008;143:152 (Letter)
Reply: Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Izumi et al). 2008;143:153 (Letter reply)

Adrenal gland diseases
An oval mass in an adrenal cyst mimics malignancy (Chen and Chueh). 2008;143:296-7
Operative management of Cushing Syndrome secondary to micronodular adrenal hyperplasia (Powell et al). 2008;143:750-8

Adrenal gland neoplasms
Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis (Strong et al). 2008;143:759-68

Adrenalectomy
Operative management of Cushing Syndrome secondary to micronodular adrenal hyperplasia (Powell et al). 2008;143:750-8
"Subclinical Cushing's syndrome" is not subclinical: improvement after adrenalectomy in 9 patients (Mitchell et al) 2007;142:900-5. Correction. 2008;143:302

Aneurysm, dissecting
A contemporary analysis of outcomes for operative repair of type A aortic dissection in the United States (Knipp et al) 2007;142:524-8. Correction. 2008;143:301

Aneurysm, false
Inflammatory abdominal aortic aneurysms and paranastomotic aneurysm formation (Dalainas). 2008;143:300 (Letter)

Antithyroid agents
The effect of anti-thyroid drug treatment duration on thyroid gland microvessel density and intraoperative blood loss in patients with Graves' disease (Erbil et al). 2008;143:216-25

Aortic aneurysm
A contemporary analysis of outcomes for operative repair of type A aortic dissection in the United States (Knipp et al) 2007;142:524-8. Correction. 2008;143:301
Diagnosis and management of primary aortoenteric fistulas-experience learned from eighteen patients (Song et al). 2008;143:43-50

Aortic aneurysms, abdominal
Inflammatory abdominal aortic aneurysms and paranastomotic aneurysm formation (Dalainas). 2008;143:300 (Letter)

Arginase
Red blood cell arginase suppresses Jurkat (T cell) proliferation by depleting arginine (Bernard et al). 2008;143:286-91

Arginine
Red blood cell arginase suppresses Jurkat (T cell) proliferation by depleting arginine (Bernard et al). 2008;143:286-91

Arterial occlusive diseases
Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels (Wang et al). 2008;143:686-90

Ascites
Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis (Sadik et al). 2008;143:574 (Letter)

Autonomic denervation
Surgical autonomic denervation results in altered colonic motility: an explanation for low anterior resection syndrome? (Lee et al). 2008;143:778-83

B

Bacterial infections
Elderly patients have more severe biliary infections: influence of complement-killing and induction of TNFα production (Stewart et al). 2008;143:103-12

Bariatric surgery
Shrinking cardiovascular risk through bariatric surgery: application of Framingham risk score in gastric bypass (Kligman et al). 2008;143:533-8

*January pp. 1-156; February pp. 157-304; March pp. 305-454; April pp. 455-576; May pp. 577-698; June pp. 699-860.

Bile
Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis (Samuel). 2008;143:434-40

Bile acids and salts
Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase (Mariette et al). 2008;143:58-71

Bile duct neoplasms
Cystic duct biliary adenoma (Yopp et al). 2008;143:150-1

Biliary tract diseases
Elderly patients have more severe biliary infections: influence of complement-killing and induction of TNFα production (Stewart et al). 2008;143:103-12

Biological sciences
Technology and financing strategies in the development of life science companies (Gertler at al). 2008;143:198-205 (Editorial)

Biomedical engineering
Accelerating innovation between surgeons and biomedical engineers in the academic setting (Heller et al). 2008;143: 171-5 (Editorial)

Biopsy
Yield and safety of bedside open lung biopsy in mechanically ventilated patients with acute lung injury or acute respiratory distress syndrome (Baumann et al). 2008;143: 426-33

Biopsy, fine-needle
The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm in size (McCoy et al) 2007;142:837-44. Correction. 2008;143:302
The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) 2007;142:992-1002. Correction. 2008;143:303
Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm (Kuru). 2008;143:835 (Letter)

Blood loss, surgical
The effect of anti-thyroid drug treatment duration on thyroid gland microvessel density and intraoperative blood loss in patients with Graves' disease (Erbil et al). 2008;143:216-25

Blood platelets
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66

Blood transfusion
Medical treatment of Jehovah's witnesses (Hua et al). 2008; 143:463-5

Blood vessel prosthesis
Diagnosis and management of primary aortoenteric fistulas-experience learned from eighteen patients (Song et al). 2008;143:43-50

Breast neoplasms
Breast cancer surgery: Do all patients want to go to high–volume hospitals? (Bouche et al). 2008;143:699-705
Cosmetic outcome and patient satisfaction after skin-sparing mastectomy for breast cancer with immediate reconstruction of the breast (Ueda et al). 2008;143:414-25
Increased prevalence of breast cancer among patients with thyroid and parathyroid disease (Garner et al) 2007;142: 806-13. Correction. 2008;143:302
Sentinel node positive breast cancer patients who do not undergo axillary dissection: are they different? (Zakaria et al). 2008;143:641-7

Bronchopulmonary sequestration
Extralobar pulmonary sequestration (Taylor et al). 2008;143: 833-4

C

C-reactive protein
Persisting elevation of C-reactive protein after pancreatic resections can indicate developing inflammatory complications (Welsch et al). 2008;143:20-8

CA-15-3 antigen
Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase (Mariette et al). 2008;143:58-71

CA-19-9 antigen
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66

Capillary fragility
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) 2007;142:487-96. Correction. 2008;143:301

Capital financing
Surgical invention and commercialization (Gingles and Knechtle). 2008;143:175-81 (Editorial)
Tissue engineering: from bench to bedside via commercialization (Vacanti). 2008;143:181-3 (Editorial)

Carcinoma, hepatocellular
Anatomic versus limited nonanatomic resection for solitary hepatocellular carcinoma (Tanaka et al). 2008;143: 607-15
Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on Japanese nationwide survey (Eguchi et al). 2008;143: 469-75
RNA stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular cancer (Emani et al). 2008;143:803-12

Carcinoma, medullary
Medullary thyroid microcarcinoma recommendations for treatment—A single-center experience (Scheuba et al) 2007;142:1003-10. Correction. 2008;143:303

Carcinoma, papillary
Papillary thyroid carcinoma with distant metastases: survival predictors and the importance of local control (Sugitani et al). 2008;143:35-42
Solid pseudopapillary neoplasm of the pancreas: distinct patterns of onset, diagnosis, and prognosis for male versus female patients (Machado et al). 2008;143:29-34

Cardiovascular diseases
Shrinking cardiovascular risk through bariatric surgery: application of Framingham risk score in gastric bypass (Kligman et al). 2008;143:533-8

Carotid artery, internal
Results in a consecutive series of 83 surgical corrections of symptomatic stenotic kinking of the internal carotid artery (Illuminati et al). 2008;143:134-9

Carotid artery diseases
Asymptomatic carotid artery disease – should diabetics be treated? (Kent). 2008;143:572-3 (Editorial)

Carotid stenosis
Diabetes and asymptomatic carotid stenosis: does diabetic disease influence the outcome of carotid endarterectomy? A 10-year single center experience (Ballotta et al). 2008;143: 519-25
Does the type of carotid artery closure influence the management of recurrent carotid stenosis? Results of a 6-year prospective comparative study (Antonello et al). 2008;143:51-7
Results in a consecutive series of 83 surgical corrections of symptomatic stenotic kinking of the internal carotid artery (Illuminati et al). 2008;143:134-9

Cartoons; *see* The I.V. League
Castleman's disease; *see* Giant lymph node hyperplasia
Catheter ablation
Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: does increased hepatic arterial flow induce liver regeneration? (Liu et al). 2008;143:509-18
Cell proliferation
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802
Cellulose, oxidized
Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Rajab et al). 2008;143:152 (Letter)
Reply: Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Izumi et al). 2008;143:153 (Letter reply)
Cholangiocarcinoma
Fifteen-year, single-center experience with the surgical management of intrahepatic cholangiocarcinoma: operative results and long-term outcome (Konstadoulakis et al). 2008;143:366-74
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143:769-77
Thalidomide attenuates tumor growth and preserves fast-twitch skeletal muscle fibers in cholangiocarcinoma rats (Liu et al). 2008;143:375-83
Cholestasis
Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers (Harty et al). 2008;143:667-78
Choline O-acetyltransferase
The cholinergic nervous system plays an important role in rat postoperative intestinal adhesion (Tokita et al). 2008;143:226-32
Circadian rhythm
Coordinated, diurnal hexose transporter expression in rat small bowel: implications for small bowel resection (Houghton et al). 2008;143:79-93
Diurnal rhythmicity in glucose uptake is mediated by temporal periodicity in the expression of the sodium-glucose cotransporter (SGLT1) (Balakrishnan et al). 2008;143:813-8
Clinical competence
Comparison of expert instruction and computer-based video training in teaching fundamental surgical skills to medical students (Nousiainen et al). 2008;143:539-44
Clostridium difficile
Risk factors for the development of fulminant Clostridium difficile colitis (Greenstein et al). 2008;143:623-9
Cognition disorders
Cognitive changes after parathyroidectomy in patients with secondary hyperparathyroidism (Chou et al). 2008;143:526-32
Colitis
Risk factors for the development of fulminant Clostridium difficile colitis (Greenstein et al). 2008;143:623-9
Colonic diseases, functional
Surgical autonomic denervation results in altered colonic motility: an explanation for low anterior resection syndrome? (Lee et al). 2008;143:778-83
Colorectal neoplasms
Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases (Tamandl et al). 2008;143:648-57
Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience (Nuzzo et al). 2008;143:384-93
Prognostic value of concomitant resection of extrahepatic disease in patients with liver metastases of colorectal origin (Aoki et al). 2008;143:706-14
Role of hepatectomy in treating multiple bilobar colorectal cancer metastases (Tanaka et al). 2008;143:259-70
Colorectal surgery
Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases (Tamandl et al). 2008;143:648-57
Laparoscopic colorectal surgery is safe in the high-risk patient: a NSQIP risk-adjusted analysis (McCloskey et al) 2007;142:594-7. Correction. 2008;143:301
Commerce
Surgical invention and commercialization (Gingles and Knechtle). 2008;143:175-81 (Editorial)
Tissue engineering: from bench to bedside via commercialization (Vacanti). 2008;143:181-3 (Editorial)
Complement system proteins
Elderly patients have more severe biliary infections: influence of complement-killing and induction of TNFα production (Stewart et al). 2008;143:103-12
Computer-assisted instruction
Comparison of expert instruction and computer-based video training in teaching fundamental surgical skills to medical students (Nousiainen et al). 2008;143:539-44
Conflict of interest
A biopsy of financial conflicts of interest in medicine (Stossel). 2008;143:193-8 (Editorial)
Constriction, pathologic
Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence (Safioleas et al). 2008;143:299-300 (Letter)
Corrections
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery (Yalçin) 2006;139:181-7). 2008;143:453
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) (2007;142:487-96). 2008;143:301
Clinical, genetic and radiographic analysis of 108 patients with von Hippel-Lindau disease (VHL) manifested by pancreatic neuroendocrine neoplasms (PNENs) (Blansfield et al) (2007;142:814-8). 2008;143:302
Consequences of parathyroidectomy in patients with "mild" sporadic primary hyperparathyroidism (Carneiro-Pla et al) (2007;142:795-9). 2008;143:301
A contemporary analysis of outcomes for operative repair of type A aortic dissection in the United States (Knipp et al) (2007;142:524-8). 2008;143:301
Does the presence of additional thyroid nodules on ultrasound alter the risk of malignancy in patients with a follicular neoplasm of the thyroid? (Sippel et al) (2007;142:815-7). 2008;143:302
Duodenum-preserving head resection for chronic pancreatitis: an institutional experience and national survey of usage (Varghese and Bell, Jr) (2007;142:588-93). 2008;143:301
Eliminating respiratory intensive care unit stay after gastric bypass surgery (Hallowell et al) (2007;142:608-12). 2008;143:301
Experience with deceased donor kidney transplantation in 114 patients over age 60 (Moore et al) (2007;142:514-23). 2008;143:301
Fistulojejunostomy for the management of refractory pancreatic fistula (Nair et al) (2007;142:636-42). 2008;143:301
Functional parathyroid carcinoma: long-term treatment outcome and risk factor analysis (Iihara et al) (2007;142:936-43). 2008;143:302

The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm in size (McCoy et al) (2007;142:837-44). 2008;143:302
Increased prevalence of breast cancer among patients with thyroid and parathyroid disease (Garner et al) (2007;142:806-13). 2008;143:302
Interpretation of intra-operative PTH changes in patients with multi-glandular primary hyperparathyroidism (pHPT) (Karakousis et al) (2007;142:845-50). 2008;143:302
Laparoscopic colorectal surgery is safe in the high-risk patient: a NSQIP risk-adjusted analysis (McCloskey et al) (2007;142:594-7). 2008;143:301
Laparoscopic liver surgery for everyone: the hybrid method (Koffron et al) (2007;142:463-8). 2008;143:301
Laparoscopy or conventional open surgery for patients with ileocolonic Crohn's disease? A prospective study (Fichera et al) (2007;142:566-71). 2008;143:301
Laryngoscopy in thyroid surgery—essential standard or unnecessary routine? (Schlosser et al) (2007;142:858-64). 2008;143:302
Long-term follow-up after parathyroidectomy for radiation-induced hyperparathyroidism (Ippolito et al) (2007;142:819-22). 2008;143:302
Medullary thyroid microcarcinoma recommendations for treatment—A single-center experience (Scheuba et al) (2007;142:1003-10). 2008;143:303
Pancreatoduodenal surgery in patients with multiple endocrine neoplasia type 1: operative outcomes, long-term function, and quality of life (You et al) (2007;142:829-36). 2008;143:302
Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Quayle et al) (2007;142:800-5). 2008;143:301-3
The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) (2007;142:992-1002). 2008;143:303
"Subclinical Cushing's syndrome" is not subclinical: improvement after adrenalectomy in 9 patients (Mitchell et al) (2007;142:900-5). 2008;143:302
Trends in thyroid cancer demographics and surgical therapy in the United States (Mitchell et al) (2007;142:823-8). 2008;143:302
Utilization of total thyroidectomy for papillary thyroid cancer in the United States (Bilimoria et al) (2007;142:906-13). 2008;143:302

Cranial nerve injuries
The mechanism of recurrent laryngeal nerve injury during thyroid surgery—the application of intraoperative neuromonitoring (Chiang et al). 2008;143:743-9

Crohn disease
Laparoscopy or conventional open surgery for patients with ileocolonic Crohn's disease? A prospective study (Fichera et al) 2007;142:566-71. Correction. 2008;143:301

Cushing syndrome
Operative management of Cushing syndrome owing to micronodular adrenal hyperplasia (Powell et al). 2008;143:750-8
"Subclinical Cushing's syndrome" is not subclinical: improvement after adrenalectomy in 9 patients (Mitchell et al) 2007;142:900-5. Correction. 2008;143:302

Cyclin-dependent kinase inhibitor p21
Regulation of alloimmune Th1 responses by the cyclin-dependent kinase inhibitor p21 following transplantation (Welling et al). 2008;143:394-403

Cystic duct
Cystic duct biliary adenoma (Yopp et al). 2008;143:150-1

Cysts
An oval mass in an adrenal cyst mimics malignancy (Chen and Chueh). 2008;143:296-7
A case of gastritis cystica profunda (Tomizuka et al). 2008;143:449-50
Parathyroid cyst and hyperparathyroidism (Elizondo and Amondarain). 2008;143:447-8

Cytokines
Exogenous ghrelin modulates release of pro-inflammatory and anti-inflammatory cytokines in LPS-stimulated macrophages through distinct signaling pathways (Waseem et al). 2008;143:334-42

D

Data interpretation, statistical
Improper selection of study end-point may mislead statistical results (Marechal). 2008;143:298 (Letter)

Decision making
Measuring patient preference and surgeon choice (Young et al). 2008;143:582-8

Delivery of health care
Specialty hospitals: who do they help? (Satiani). 2008;143:589-98

Demography
Trends in thyroid cancer demographics and surgical therapy in the United States (Mitchell et al) 2007;142:823-8. Correction. 2008;143:302

Diabetes mellitus
Asymptomatic carotid artery disease – should diabetics be treated? (Kent). 2008;143:572-3 (Editorial)
Diabetes and asymptomatic carotid stenosis: does diabetic disease influence the outcome of carotid endarterectomy? A 10-year single center experience (Ballotta et al). 2008;143:519-25

Diabetic neuropathies
Are diabetic patients at a greater risk to develop a vocal fold palsy during thyroid surgery than nondiabetic patients? (Schlosser et al). 2008;143:352-8

Diffusion of innovation
Accelerating innovation between surgeons and biomedical engineers in the academic setting (Heller et al). 2008;143:171-5 (Editorial)
From innovation to successful commercialization: assessing value and investment–does the equation make sense? (Toneguzzo). 2008;143:165-8 (Editorial)
Intellectual property and royalty streams in academic departments: myths and realities (Krummel et al). 2008;143:183-91 (Editorial)
Invention, innovation, entrepreneurship in academic medical centers (Toner and Tompkins). 2008;143:168-71 (Editorial)
Profiting from innovation: an introduction (Warshaw and Sarr). 2008;143:157 (Editorial)
Surgical invention and commercialization (Gingles and Knechtle). 2008;143:175-81 (Editorial)
Technology and financing strategies in the development of life science companies (Gertler at al). 2008;143:198-205 (Editorial)
What makes an idea or discovery marketable—and approaches to maximize success (Stoddard and Danielsen). 2008;143:161-4 (Editorial)

Digestive system fistula
Diagnosis and management of primary aortoenteric fistulas-experience learned from eighteen patients (Song et al). 2008;143:43-50

Digestive system surgical procedures
Perioperative fluid restriction reduces complications after major gastrointestinal surgery (Walsh et al). 2008;143:466-8

Diurnal rhythmicity; *see* Circadian rhythm

Duodenum
Duodenum-preserving pancreatic head resection—a randomized controlled trial comparing the original Beger procedure with the Berne modification (ISRCTN No. 50638764) (Köninger et al). 2008;143:490-8

Dysphonia; *see* Voice disorders

E

Economics, medical
A biopsy of financial conflicts of interest in medicine (Stossel). 2008;143:193-8 (Editorial)
"Commercialization," a perspective (Platt et al). 2008;143: 157-61 (Editorial)
From innovation to successful commercialization: assessing value and investment–does the equation make sense? (Toneguzzo). 2008;143:165-8 (Editorial)
Intellectual property and royalty streams in academic departments: myths and realities (Krummel et al). 2008;143: 183-91 (Editorial)
Profiting from innovation: an introduction (Warshaw and Sarr). 2008;143:157 (Editorial)
Surgical invention and commercialization (Gingles and Knechtle). 2008;143:175-81 (Editorial)
Technology and financing strategies in the development of life science companies (Gertler at al). 2008;143:198-205 (Editorial)
What makes an idea or discovery marketable—and approaches to maximize success (Stoddard and Danielsen). 2008;143:161-4 (Editorial)

Edema
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) 2007;142:487-96. Correction. 2008;143:301

Editorials
Accelerating innovation between surgeons and biomedical engineers in the academic setting (Heller et al). 2008;143: 171-5
Asymptomatic carotid artery disease – should diabetics be treated? (Kent). 2008;143:572-3
A biopsy of financial conflicts of interest in medicine (Stossel). 2008;143:193-8
"Commercialization," a perspective (Platt et al). 2008;143: 157-61
From innovation to successful commercialization: assessing value and investment–does the equation make sense? (Toneguzzo). 2008;143:165-8
Intellectual property and royalty streams in academic departments: myths and realities (Krummel et al). 2008;143: 183-91 (Editorial)
Invention, innovation, entrepreneurship in academic medical centers (Toner and Tompkins). 2008;143:168-71
Patents and research: friends or foes? (Sachs). 2008;143:191-3
Pre-operative management of patients with Graves' disease (Chen). 2008;143:292-3 (Editorial)
Profiting from innovation: an introduction (Warshaw and Sarr). 2008;143:157
Re: Prospective trial of voice outcomes after thyroidectomy: evaluation of patient-reported and clinician-determined voice assessments in identifying post-thyroidectomy dysphonia (Zeitels). 2008;143:822-3
Surgical invention and commercialization (Gingles and Knechtle). 2008;143:175-81
Technology and financing strategies in the development of life science companies (Gertler at al). 2008;143:198-205 (Editorial)
Tissue engineering: from bench to bedside via commercialization (Vacanti). 2008;143:181-3
What makes an idea or discovery marketable—and approaches to maximize success (Stoddard and Danielsen). 2008;143:161-4

Education, medical
Comparison of expert instruction and computer-based video training in teaching fundamental surgical skills to medical students (Nousiainen et al). 2008;143:539-44

Electrical stimulation
A novel method of 2-channel dual-pulse gastric electrical stimulation improves solid gastric emptying in dogs (Song et al). 2008;143:72-8

Electrodes, implanted
Intra-abdominal vagal blocking (VBLOC therapy): clinical results with a new implantable medical device (Camilleri et al). 2008;143:723-31

Embolization, therapeutic
Preoperative contralateral portal vein embolization before major hepatic resection is a safe and efficient procedure: a large single institution experience (Giraudo et al). 2008; 143:476-82

Endarterectomy, carotid
Diabetes and asymptomatic carotid stenosis: does diabetic disease influence the outcome of carotid endarterectomy? A 10-year single center experience (Ballotta et al). 2008;143: 519-25
Does the type of carotid artery closure influence the management of recurrent carotid stenosis? Results of a 6-year prospective comparative study (Antonello et al). 2008;143:51-7

Endocrine surgical procedures
Otolaryngology and the American Association of Endocrine Surgery: time for a change (Randolph et al). 2008;143:153-4 (Letter)

Endoscopy, digestive system
Late phase TNF-alpha depression in natural orifice translumenal endoscopic surgery (NOTES) peritoneoscopy (McGee et al). 2008;143:318-28

Entrepreneurship
Invention, innovation, entrepreneurship in academic medical centers (Toner and Tompkins). 2008;143:168-71 (Editorial)

Erythrocytes
Red blood cell arginase suppresses Jurkat (T cell) proliferation by depleting arginine (Bernard et al). 2008;143:286-91

Erythropoietin
Erythropoietin and its derivative protect the intestine from severe ischemia/reperfusion injury in the rat (Mori et al). 2008;143:556-65

Esophageal neoplasms
Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase (Mariette et al). 2008;143:58-71
Advances in esophageal cancer surgery in Japan: an analysis of 1000 consecutive patients treated at a single institute (Morita et al). 2008;143:499-508
Laparoscopic transhiatal resection for malignancies of the distal esophagus: outcome of the first 50 resected patients (Scheepers et al). 2008;143:278-85

Esophagectomy
Advances in esophageal cancer surgery in Japan: an analysis of 1000 consecutive patients treated at a single institute (Morita et al). 2008;143:499-508
Laparoscopic transhiatal resection for malignancies of the distal esophagus: outcome of the first 50 resected patients (Scheepers et al). 2008;143:278-85

Ethics, medical
Surgeons and clinical ethics (Kodner). 2008;143:460-2

F

False negative reactions
The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm in size (McCoy et al) 2007;142:837-44. Correction. 2008;143:302
Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm (Kuru). 2008;143:835 (Letter)

Fibrin glue; *see* Fibrin tissue adhesive

Fibrin tissue adhesive
Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis (Sadik et al). 2008;143:574 (Letter)

Fibrosis
Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers (Harty et al). 2008;143:667-78
Fluid therapy
Perioperative fluid restriction reduces complications after major gastrointestinal surgery (Walsh et al). 2008;143:466-8
Fluorodeoxyglucose F18
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143:769-77

G

Gallbladder diseases
Torsion of the gallbladder (Wu et al). 2008;143:294-5
Gallstones
Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis (Samuel). 2008;143:434-40
Gastric bypass
Eliminating respiratory intensive care unit stay after gastric bypass surgery (Hallowell et al) 2007;142:608-12. Correction. 2008;143:301
Outcomes with the adjustable gastric band (Dallal and Bailey). 2008;143:329-33
Shrinking cardiovascular risk through bariatric surgery: application of Framingham risk score in gastric bypass (Kligman et al). 2008;143:533-8
Gastric emptying
A novel method of 2-channel dual-pulse gastric electrical stimulation improves solid gastric emptying in dogs (Song et al). 2008;143:72-8
Gastritis
A case of gastritis cystica profunda (Tomizuka et al). 2008;143:449-50
Gastroepiploic artery
Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels (Wang et al). 2008;143:686-90
Gastrointestinal motility
Surgical autonomic denervation results in altered colonic motility: an explanation for low anterior resection syndrome? (Lee et al). 2008;143:778-83
Gastrointestinal tract
Gasotransmitters in the gastrointestinal tract (Kasparek et al). 2008;143:455-9
Gastroparesis
A novel method of 2-channel dual-pulse gastric electrical stimulation improves solid gastric emptying in dogs (Song et al). 2008;143:72-8
Germ-line mutation
Familial hyperparathyroidism: surgical outcome after 30 years of follow-up in three families with germline *HRPT2* mutations (Sarquis et al). 2008;143:630-40
Ghrelin
Exogenous ghrelin modulates release of pro-inflammatory and anti-inflammatory cytokines in LPS-stimulated macrophages through distinct signaling pathways (Waseem et al). 2008;143:334-42
Giant lymph node hyperplasia
Retroperitoneal pararenal Castleman's disease (Ridolfini et al). 2008;143:691-2
Glucose
Diurnal rhythmicity in glucose uptake is mediated by temporal periodicity in the expression of the sodium-glucose cotransporter (SGLT1) (Balakrishnan et al). 2008;143:813-8
Goiter, nodular
The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) 2007;142:992-1002. Correction. 2008;143:303
Graves' disease
The effect of anti-thyroid drug treatment duration on thyroid gland microvessel density and intraoperative blood loss in patients with Graves' disease (Erbil et al). 2008;143:216-25
Pre-operative management of patients with Graves' disease (Chen). 2008;143:292-3 (Editorial)

H

Health status
Systematic review on recovery specific quality-of-life instruments (Kluivers et al). 2008;143:206-15
Heart septal defects, atrial
Atrial septal defect in end-stage liver disease children before and after liver transplantation (Concejero et al). 2008;143:271-7
Heart transplantation
Regulation of alloimmune Th1 responses by the cyclin-dependent kinase inhibitor p21 following transplantation (Welling et al). 2008;143:394-403
Hemorrhoids
Life threatening sepsis and mortality following stapled hemorrhoidopexy (Cirocco). 2008;143:824-9
Heparin
Contemporary standards for the diagnosis and treatment of heparin-induced thrombocytopenia (HIT) (Baldwin et al). 2008;143:305-12
The heparins: all a surgeon should know (Fujita). 2008;143:835 (Letter)
Hepatectomy
Anatomic versus limited nonanatomic resection for solitary hepatocellular carcinoma (Tanaka et al). 2008;143:607-15
Comparison of the outcomes between an anatomical subsegmentectomy and a non-anatomical minor hepatectomy for single hepatocellular carcinomas based on Japanese nationwide survey (Eguchi et al). 2008;143:469-75
Fifteen-year, single-center experience with the surgical management of intrahepatic cholangiocarcinoma: operative results and long-term outcome (Konstadoulakis et al). 2008;143:366-74
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143:769-77
Impact of localized congestion related to venous deprivation after hepatectomy (Scatton et al). 2008;143:483-9
Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience (Nuzzo et al). 2008;143:384-93
Laparoscopic liver surgery for everyone: the hybrid method (Koffron et al) 2007;142:463-8. Correction. 2008;143:301
A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy (Ogata et al). 2008;143:545-55
Prognostic value of concomitant resection of extrahepatic disease in patients with liver metastases of colorectal origin (Aoki et al). 2008;143:706-14
Role of hepatectomy in treating multiple bilobar colorectal cancer metastases (Tanaka et al). 2008;143:259-70
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802

Hepatic artery
Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels (Wang et al). 2008;143:686-90
Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: does increased hepatic arterial flow induce liver regeneration? (Liu et al). 2008;143:509-18
Hepatic veins
Impact of localized congestion related to venous deprivation after hepatectomy (Scatton et al). 2008;143:483-9
Hepatocellular carcinoma; *see* Carcinoma, hepatocellular
Hepatocytes
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802
Hernia, inguinal
Laparoscopic extraperitoneal inguinal hernia repair versus open mesh repair: long-term follow-up of a randomized controlled trial (Hallén et al). 2008;143:313-7
Hernia, umbilical
Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis (Sadik et al). 2008;143:574 (Letter)
Intraoperative umbilical herniorrhaphy during liver transplantation (Mateo et al). 2008;143:451-2 (Letter)
Re: Management in patients with liver cirrhosis and an umbilical hernia (Marsman et al). 2008;143:695 (Letter)
Hexose transporter; *see* Monosaccharide transport proteins
Hippel-Lindau disease
Clinical, genetic and radiographic analysis of 108 patients with von Hippel-Lindau disease (VHL) manifested by pancreatic neuroendocrine neoplasms (PNENs) (Blansfield et al) 2007;142:814-8. Correction. 2008;143:302
Hospital bed capacity
Effects of surgeon and hospital volume on 5-year survival rates following oral cancer resections: the experience of an Asian country (Lin and Lin). 2008;143:343-51
Hospitals
Breast cancer surgery: Do all patients want to go to high–volume hospitals? (Bouche et al). 2008;143:699-705
Hospitals, rural
General surgery at rural hospitals: a national survey of rural hospital administrators (Doty et al). 2008;143:599-606
Hospitals, special
Specialty hospitals: who do they help? (Satiani). 2008;143:589-98
Hospitals administrators
General surgery at rural hospitals: a national survey of rural hospital administrators (Doty et al). 2008;143:599-606
HRPT2; *see* Tumor suppressor proteins
Hyperemia
Impact of localized congestion related to venous deprivation after hepatectomy (Scatton et al). 2008;143:483-9
Hyperhidrosis
T4 sympathectomy for palmar hyperhidrosis: looking for the right operation (Mahdy et al). 2008;143:784-9
Hyperparathyroidism
Cognitive changes after parathyroidectomy in patients with secondary hyperparathyroidism (Chou et al). 2008;143:526-32
Consequences of parathyroidectomy in patients with "mild" sporadic primary hyperparathyroidism (Carneiro-Pla et al) 2007;142:795-9. Correction. 2008;143:301
Familial hyperparathyroidism: surgical outcome after 30 years of follow-up in three families with germline *HRPT2* mutations (Sarquis et al). 2008;143:630-40
Increased prevalence of breast cancer among patients with thyroid and parathyroid disease (Garner et al) 2007;142:806-13. Correction. 2008;143:302
Interpretation of intra-operative PTH changes in patients with multi-glandular primary hyperparathyroidism (pHPT) (Karakousis et al) 2007;142:845-50. Correction. 2008;143:302
Long-term follow-up after parathyroidectomy for radiation-induced hyperparathyroidism (Ippolito et al) 2007;142:819-22. Correction. 2008;143:302
Parathyroid cyst and hyperparathyroidism (Elizondo and Amondarain). 2008;143:447-8
Hyperplasia
Operative management of Cushing syndrome owing to micronodular adrenal hyperplasia (Powell et al). 2008;143:750-8
Hypersplenism
Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: does increased hepatic arterial flow induce liver regeneration? (Liu et al). 2008;143:509-18
Hypertension, portal
Surgical management of chronic pancreatitis with portal hypertension— a 19-year experience (Ramesh et al). 2008;143:252-8

I

Images in surgery
An oval mass in an adrenal cyst mimics malignancy (Chen and Chueh). 2008;143:296-7
A case of gastritis cystica profunda (Tomizuka et al). 2008;143:449-50
Cystic duct biliary adenoma (Yopp et al). 2008;143:150-1
Extra-adrenal pheochromocytoma involving the organ of Zuckerkandl (Donahue et al). 2008;143:830-2
Extralobar pulmonary sequestration (Taylor et al). 2008;143:833-4
A loop formation of Meckel's diverticulum causes intestine ischemia (Wu et al). 2008;143:693-4
Multiple small-bowel intussusceptions caused by metastatic lung cancers (Huang et al). 2008;143:148-9
Parathyroid cyst and hyperparathyroidism (Elizondo and Amondarain). 2008;143:447-8
Primary rectal teratoma (Sharma et al). 2008;143:570-1
Retroperitoneal pararenal Castleman's disease (Ridolfini et al). 2008;143:691-2
Torsion of the gallbladder (Wu et al). 2008;143:294-5
Undifferentiated embryonal sarcoma of the liver in adult (Gourgiotis et al). 2008;143:568-9
Infection control
Probiotics in surgery (van Santvoort et al). 2008;143:1-7
Inferior thyroid artery
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery (Yalçin) 2006;139:181-7. Correction. 2008;143:453
Inflammation
Persisting elevation of C-reactive protein after pancreatic resections can indicate developing inflammatory complications (Welsch et al). 2008;143:20-8
Inguinal hernia; *see* Hernia, inguinal
Injury severity score
Development of reproducible histologic injury severity scores: skeletal muscle reperfusion injury (McCormack et al). 2008;143:126-33
instrumentation
On people, institutions and machines: the seventieth anniversary of Carrel-Lindbergh heart perfusion apparatus (Lepicard). 2008;143:819-21
Intellectual property
Intellectual property and royalty streams in academic departments: myths and realities (Krummel et al). 2008;143:183-91 (Editorial)

Intensive care units
Eliminating respiratory intensive care unit stay after gastric bypass surgery (Hallowell et al) 2007;142:608-12. Correction. 2008;143:301

Interceed; *see* Cellulose, oxidized

Interleukin-10
The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: a prospective cohort study (Schroeder et al). 2008;143:233-42

Interleukin-15
Serum interleukin-15 level in patients with severe acute pancreatitis (Fujita). 2008;143:451 (Letter); Ueda). 2008; 143:695-6 (Letter)

Intestine, small
The cholinergic nervous system plays an important role in rat postoperative intestinal adhesion (Tokita et al). 2008;143: 226-32
Coordinated, diurnal hexose transporter expression in rat small bowel: implications for small bowel resection (Houghton et al). 2008;143:79-93
Multiple small-bowel intussusceptions caused by metastatic lung cancers (Huang et al). 2008;143:148-9
Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation (Rickenbacher et al). 2008;143:94-102

Intestines
Acute pancreatitis severity is exacerbated by intestinal ischemia-reperfusion conditioned mesenteric lymph (Flint et al). 2008;143:404-13
Erythropoietin and its derivative protect the intestine from severe ischemia/reperfusion injury in the rat (Mori et al). 2008;143:556-65
A loop formation of Meckel's diverticulum causes intestine ischemia (Wu et al). 2008;143:693-4

Intussusception
Multiple small-bowel intussusceptions caused by metastatic lung cancers (Huang et al). 2008;143:148-9

Ischemia
Increased severity of renal ischemia-reperfusion injury with venous clamping compared to arterial clamping in a rat model (Park et al). 2008;143:243-51
A loop formation of Meckel's diverticulum causes intestine ischemia (Wu et al). 2008;143:693-4

Ischemia/reperfusion injury; *see* Reperfusion injury

J

Jehovah's witnesses
Medical treatment of Jehovah's witnesses (Hua et al). 2008; 143:463-5

Jejunostomy
Fistulojejunostomy for the management of refractory pancreatic fistula (Nair et al) 2007;142:636-42. Correction. 2008; 143:301

Jurkat cells
Red blood cell arginase suppresses Jurkat (T cell) proliferation by depleting arginine (Bernard et al). 2008;143:286-91

K

Kidney transplantation
Experience with deceased donor kidney transplantation in 114 patients over age 60 (Moore et al) 2007;142:514-23. Correction. 2008;143:301

L

Laparoscopy
Laparoscopic colorectal surgery is safe in the high-risk patient: a NSQIP risk-adjusted analysis (McCloskey et al) 2007;142: 594-7. Correction. 2008;143:301
Laparoscopic extraperitoneal inguinal hernia repair versus open mesh repair: long-term follow-up of a randomized controlled trial (Hallén et al). 2008;143:313-7
Laparoscopic liver surgery for everyone: the hybrid method (Koffron et al) 2007;142:463-8. Correction. 2008;143:301
Laparoscopic transhiatal resection for malignancies of the distal esophagus: outcome of the first 50 resected patients (Scheepers et al). 2008;143:278-85
Laparoscopy or conventional open surgery for patients with ileocolonic Crohn's disease? A prospective study (Fichera et al) 2007;142:566-71. Correction. 2008;143:301
Late phase TNF-alpha depression in natural orifice translumenal endoscopic surgery (NOTES) peritoneoscopy (McGee et al). 2008;143:318-28
Outcomes with the adjustable gastric band (Dallal and Bailey). 2008;143:329-33
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66

Laryngoscopy
Laryngoscopy in thyroid surgery—essential standard or unnecessary routine? (Schlosser et al) 2007;142:858-64. Correction. 2008;143:302

Letters to the Editors
Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Rajab et al). 2008;143: 152 (Letter)
The heparins: all a surgeon should know (Fujita). 2008;143: 835 (Letter)
Improper selection of study end-point may mislead statistical results (Marechal). 2008;143:298 (Letter)
Inflammatory abdominal aortic aneurysms and paranastomotic aneurysm formation (Dalainas). 2008;143:300 (Letter)
Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis (Sadik et al). 2008;143:574 (Letter)
Intraoperative umbilical herniorrhaphy during liver transplantation (Mateo et al). 2008;143:451-2 (Letter)
Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma (Pawlik). 2008; 143:299 (Letter)
Otolaryngology and the American Association of Endocrine Surgery: time for a change (Randolph et al). 2008;143:153-4 (Letter)
Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Machens and Dralle). 2008;143:696 (Letter)
Re: Management in patients with liver cirrhosis and an umbilical hernia (Marsman et al). 2008;143:695 (Letter)
Re: Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Quayle et al). 2008;143:697 (Letter reply)
Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm (Kuru). 2008;143:835 (Letter)
Reply: Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Izumi et al). 2008; 143:153 (Letter reply)
Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence (Safioleas et al). 2008; 143:299-300 (Letter)
Serum interleukin-15 level in patients with severe acute pancreatitis (Fujita). 2008;143:451 (Letter); Ueda). 2008; 143:695-6 (Letter)

Liver cirrhosis
Injection of fibrin glue for temporary treatment of an ascites leak from a ruptured umbilical hernia in a patient with liver cirrhosis (Sadik et al). 2008;143:574 (Letter)
Re: Management in patients with liver cirrhosis and an umbilical hernia (Marsman et al). 2008;143:695 (Letter)
Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: does increased

hepatic arterial flow induce liver regeneration? (Liu et al). 2008;143:509-18

Liver diseases
Deletion of toll-like receptor-4 downregulates protein kinase C-ζ and attenuates liver injury in experimental pancreatitis (Peng et al). 2008;143:679-85
Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers (Harty et al). 2008;143:667-78
Prognostic value of concomitant resection of extrahepatic disease in patients with liver metastases of colorectal origin (Aoki et al). 2008;143:706-14

Liver failure
Atrial septal defect in end-stage liver disease children before and after liver transplantation (Concejero et al). 2008;143:271-7
A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy (Ogata et al). 2008;143:545-55

Liver neoplasms
Fifteen-year, single-center experience with the surgical management of intrahepatic cholangiocarcinoma: operative results and long-term outcome (Konstadoulakis et al). 2008;143:366-74
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143:769-77
Undifferentiated embryonal sarcoma of the liver in adult (Gourgiotis et al). 2008;143:568-9

Liver regeneration
A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy (Ogata et al). 2008;143:545-55
Two-year follow-up of splenic radiofrequency ablation in patients with cirrhotic hypersplenism: does increased hepatic arterial flow induce liver regeneration? (Liu et al). 2008;143:509-18

Liver transplantation
Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels (Wang et al). 2008;143:686-90
Atrial septal defect in end-stage liver disease children before and after liver transplantation (Concejero et al). 2008;143:271-7
Intraoperative umbilical herniorrhaphy during liver transplantation (Mateo et al). 2008;143:451-2 (Letter)

Low anterior resection syndrome; *see* Colonic diseases, functional

Lung neoplasms
Multiple small-bowel intussusceptions caused by metastatic lung cancers (Huang et al). 2008;143:148-9

Lymph
Acute pancreatitis severity is exacerbated by intestinal ischemia-reperfusion conditioned mesenteric lymph (Flint et al). 2008;143:404-13

Lymph node excision
Sentinel node positive breast cancer patients who do not undergo axillary dissection: are they different? (Zakaria et al). 2008;143:641-7

Lymph nodes
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143:769-77
Improper selection of study end-point may mislead statistical results (Marechal). 2008;143:298 (Letter)
Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma (Pawlik). 2008;143:299 (Letter)

Lymphocytes
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66

M

Macrophages
Exogenous ghrelin modulates release of pro-inflammatory and anti-inflammatory cytokines in LPS-stimulated macrophages through distinct signaling pathways (Waseem et al). 2008;143:334-42
Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers (Harty et al). 2008;143:667-78

Magnetic resonance imaging
The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) 2007;142:992-1002. Correction. 2008;143:303

Mastectomy
Cosmetic outcome and patient satisfaction after skin-sparing mastectomy for breast cancer with immediate reconstruction of the breast (Ueda et al). 2008;143:414-25

Meckel diverticulum
A loop formation of Meckel's diverticulum causes intestine ischemia (Wu et al). 2008;143:693-4

Medical ethics; *see* Ethics, medical

Moments in surgery
Aladár Petz, the inventor of the modern surgical staplers (Oláh). 2008;143:146-7

Monitoring, physiologic
Real-time monitoring of the recurrent laryngeal nerve: an observational clinical trial (Ulmer et al). 2008;143:359-65

Monosaccharide transport proteins
Coordinated, diurnal hexose transporter expression in rat small bowel: implications for small bowel resection (Houghton et al). 2008;143:79-93

Morbidity
POSSUM accurately predicts morbidity for pancreatic resection (Pratt et al). 2008;143:8-19

Mortality
Life threatening sepsis and mortality following stapled hemorrhoidopexy (Cirocco). 2008;143:824-9

Motor skills
Implicit motor learning in surgery: implications for multi–tasking (Masters et al). 2008;143:140-5

Mouth neoplasms
Effects of surgeon and hospital volume on 5-year survival rates following oral cancer resections: the experience of an Asian country (Lin and Lin). 2008;143:343-51

MUC1; *see* CA-15-3 antigen

Multiple endocrine neoplasia type 1
Pancreatoduodenal surgery in patients with multiple endocrine neoplasia type 1: operative outcomes, long-term function, and quality of life (You et al) 2007;142:829-36. Correction. 2008;143:302

Multiple endocrine neoplasia type 2A
Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Machens and Dralle). 2008;143:696 (Letter)
Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Quayle et al) (2007;142:800-5) (Correction). 2008;143:301-3
Re: Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Quayle et al). 2008;143:697 (Letter reply)

Muscle, skeletal
Development of reproducible histologic injury severity scores: skeletal muscle reperfusion injury (McCormack et al). 2008; 143:126-33
Thalidomide attenuates tumor growth and preserves fast-t-witch skeletal muscle fibers in cholangiocarcinoma rats (Liu et al). 2008;143:375-83
Muscle fibers
Thalidomide attenuates tumor growth and preserves fast-t-witch skeletal muscle fibers in cholangiocarcinoma rats (Liu et al). 2008;143:375-83
Myocardial reperfusion
On people, institutions and machines: the seventieth anniversary of Carrel-Lindbergh heart perfusion apparatus (Lepicard). 2008;143:819-21

N

Neoplasm metastasis
Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases (Tamandl et al). 2008;143: 648-57
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143: 769-77
Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience (Nuzzo et al). 2008;143:384-93
Multiple small-bowel intussusceptions caused by metastatic lung cancers (Huang et al). 2008;143:148-9
Papillary thyroid carcinoma with distant metastases: survival predictors and the importance of local control (Sugitani et al). 2008;143:35-42
Prognostic value of concomitant resection of extrahepatic disease in patients with liver metastases of colorectal origin (Aoki et al). 2008;143:706-14
Role of hepatectomy in treating multiple bilobar colorectal cancer metastases (Tanaka et al). 2008;143:259-70
Neoplasm recurrence
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143: 769-77
Influence of surgical margin on type of recurrence after liver resection for colorectal metastases: a single-center experience (Nuzzo et al). 2008;143:384-93
Neoplasm staging
Adequate preoperative staging rarely leads to a change of intraoperative strategy in patients undergoing surgery for colorectal cancer liver metastases (Tamandl et al). 2008;143: 648-57
Neoplasms, germ cell and embryonal
Undifferentiated embryonal sarcoma of the liver in adult (Gourgiotis et al). 2008;143:568-9
Nerve block
Intra-abdominal vagal blocking (VBLOC therapy): clinical results with a new implantable medical device (Camilleri et al). 2008;143:723-31
Neuroendocrine tumors
Clinical, genetic and radiographic analysis of 108 patients with von Hippel-Lindau disease (VHL) manifested by pancreatic neuroendocrine neoplasms (PNENs) (Blansfield et al) 2007;142:814-8. Correction. 2008;143:302
Neurotransmitter agents
Gasotransmitters in the gastrointestinal tract (Kasparek et al). 2008;143:455-9
Neutrophils
Hepatic macrophages promote the neutrophil-dependent resolution of fibrosis in repairing cholestatic rat livers (Harty et al). 2008;143:667-78
NO-SM362; *see* Organophosphorus compounds
Nodular goiter; *see* Goiter, nodular

O

Oncogenes
Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis (Strong et al). 2008;143:759-68
Organ of Zuckerkandl; *see* Para-aortic bodies
Organophosphorus compounds
A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy (Ogata et al). 2008;143:545-55
Osteopontin
RNA stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular cancer (Emani et al). 2008;143:803-12
Otolaryngology
Otolaryngology and the American Association of Endocrine Surgery: time for a change (Randolph et al). 2008;143:153-4 (Letter)

P

P-glycoprotein
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143: 769-77
Pain
Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases (Buscher et al). 2008;143: 715-22
Pancreatectomy
Duodenum-preserving head resection for chronic pancreatitis: an institutional experience and national survey of usage (Varghese and Bell, Jr) 2007;142:588-93. Correction. 2008; 143:301
Duodenum-preserving pancreatic head resection—a randomized controlled trial comparing the original Beger procedure with the Berne modification (ISRCTN No. 50638764) (Köninger et al). 2008;143:490-8
Persisting elevation of C-reactive protein after pancreatic resections can indicate developing inflammatory complications (Welsch et al). 2008;143:20-8
POSSUM accurately predicts morbidity for pancreatic resection (Pratt et al). 2008;143:8-19
Pancreatic fistula
Fistulojejunostomy for the management of refractory pancreatic fistula (Nair et al) 2007;142:636-42. Correction. 2008; 143:301
Pancreatic juice
Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis (Samuel). 2008;143:434-40
Detection of human telomerase reverse transcriptase (hTERT) expression in tissue and pancreatic juice from pancreatic cancer (Hashimoto et al). 2008;143:113-25
Pancreatic neoplasms
Clinical, genetic and radiographic analysis of 108 patients with von Hippel-Lindau disease (VHL) manifested by pancreatic neuroendocrine neoplasms (PNENs) (Blansfield et al) 2007;142:814-8. Correction. 2008;143:302

Detection of human telomerase reverse transcriptase (hTERT) expression in tissue and pancreatic juice from pancreatic cancer (Hashimoto et al). 2008;143: 113-25
Improper selection of study end-point may mislead statistical results (Marechal). 2008;143:298 (Letter)
Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma (Pawlik). 2008; 143:299 (Letter)
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66
Solid pseudopapillary neoplasm of the pancreas: distinct patterns of onset, diagnosis, and prognosis for male versus female patients (Machado et al). 2008;143:29-34

Pancreaticoduodenectomy
Acute superior mesenteric—portal vein thrombosis after pancreaticoduodenectomy: treatment by operative thrombectomy (Zyromski and Howard). 2008;143:566-7
Lymph node ratio predicts outcome after pancreaticoduodenectomy for pancreatic adenocarcinoma (Pawlik). 2008; 143:299 (Letter)

Pancreatitis
Acute pancreatitis severity is exacerbated by intestinal ischemia-reperfusion conditioned mesenteric lymph (Flint et al). 2008;143:404-13
Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis (Samuel). 2008;143:434-40
Deletion of toll-like receptor-4 downregulates protein kinase C-ζ and attenuates liver injury in experimental pancreatitis (Peng et al). 2008;143:679-85
Duodenum-preserving head resection for chronic pancreatitis: an institutional experience and national survey of usage (Varghese and Bell, Jr) 2007;142:588-93. Correction. 2008; 143:301
Duodenum-preserving pancreatic head resection—a randomized controlled trial comparing the original Beger procedure with the Berne modification (ISRCTN No. 50638764) (Köninger et al). 2008;143:490-8
Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases (Buscher et al). 2008;143: 715-22
Serum interleukin-15 level in patients with severe acute pancreatitis (Fujita). 2008;143:451 (Letter); Ueda). 2008; 143:695-6 (Letter)
Surgical management of chronic pancreatitis with portal hypertension— a 19-year experience (Ramesh et al). 2008; 143:252-8

Pancreatoduodenectomy
Pancreatoduodenal surgery in patients with multiple endocrine neoplasia type 1: operative outcomes, long-term function, and quality of life (You et al) 2007;142:829-36. Correction. 2008;143:302

Para-aortic bodies
Extra-adrenal pheochromocytoma involving the organ of Zuckerkandl (Donahue et al). 2008;143:830-2

Paracrine communication
Surgically relevant aspects of stem cell paracrine effects (Crisostomo et al). 2008;143:577-81

Parathyroid diseases
Increased prevalence of breast cancer among patients with thyroid and parathyroid disease (Garner et al) 2007;142: 806-13. Correction. 2008;143:302

Parathyroid glands
Parathyroid cyst and hyperparathyroidism (Elizondo and Amondarain). 2008;143:447-8

Parathyroid hormone
Interpretation of intra-operative PTH changes in patients with multi-glandular primary hyperparathyroidism (pHPT) (Karakousis et al) 2007;142:845-50. Correction. 2008;143: 302

Parathyroid neoplasms
Functional parathyroid carcinoma: long-term treatment outcome and risk factor analysis (Iihara et al) 2007;142:936-43. Correction. 2008;143:302

Parathyroidectomy
Cognitive changes after parathyroidectomy in patients with secondary hyperparathyroidism (Chou et al). 2008;143: 526-32
Consequences of parathyroidectomy in patients with "mild" sporadic primary hyperparathyroidism (Carneiro-Pla et al) 2007;142:795-9. Correction. 2008;143:301
Long-term follow-up after parathyroidectomy for radiation-induced hyperparathyroidism (Ippolito et al) 2007;142: 819-22. Correction. 2008;143:302

Patents
Patents and research: friends or foes? (Sachs). 2008;143:191-3 (Editorial)

Patient satisfaction
Cosmetic outcome and patient satisfaction after skin-sparing mastectomy for breast cancer with immediate reconstruction of the breast (Ueda et al). 2008;143:414-25
Measuring patient preference and surgeon choice (Young et al). 2008;143:582-8

Patient selection
The platelet-lymphocyte ratio improves the predictive value of serum CA19-9 levels in determining patient selection for staging laparoscopy in suspected periampullary cancer (Smith et al). 2008;143:658-66

Periampullary cancer; *see* Pancreatic neoplasms

Peritoneoscopy; *see* Laparoscopy

Petz, Aladár
Aladár Petz, the inventor of the modern surgical staplers (Oláh). 2008;143:146-7

Pheochromocytoma
Extra-adrenal pheochromocytoma involving the organ of Zuckerkandl (Donahue et al). 2008;143:830-2
Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Machens and Dralle). 2008;143:696 (Letter); Quayle et al) (2007;142:800-5) (Correction). 2008;143: 301-3
Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis (Strong et al). 2008;143:759-68
Re: Pheochromocytoma penetrance varies by RET mutation in MEN 2A (Quayle et al). 2008;143:697 (Letter reply)

1-Phosphatidylinositol 3-kinase
Activation of MUC1 mucin expression by bile acids in human esophageal adenocarcinomatous cells and tissues is mediated by the phosphatidylinositol 3-kinase (Mariette et al). 2008;143:58-71

Phosphotransferases
Bile and pancreatic juice exclusion activates acinar stress kinases and exacerbates gallstone pancreatitis (Samuel). 2008;143:434-40

Polyglutamic acid
Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Rajab et al). 2008;143: 152 (Letter)
Reply: Evaluation of cross-linked poly gamma-glutamic acid and interceed in a rat adhesion model (Izumi et al). 2008; 143:153 (Letter reply)

Polymorphism (Genetic)
The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: a prospective cohort study (Schroeder et al). 2008;143:233-42

Portal vein
Acute superior mesenteric—portal vein thrombosis after pancreaticoduodenectomy: treatment by operative thrombectomy (Zyromski and Howard). 2008;143:566-7

Preoperative contralateral portal vein embolization before major hepatic resection is a safe and efficient procedure: a large single institution experience (Giraudo et al). 2008; 143:476-82

Positron emission tomography
Fluorine-18 fluorodeoxyglucose positron emission tomography predicts lymph node metastasis, P-glycoprotein expression, and recurrence after resection in mass-forming intrahepatic cholangiocarcinoma (Seo et al). 2008;143: 769-77

Probiotics
Probiotics in surgery (van Santvoort et al). 2008;143:1-7

Prognosis
Papillary thyroid carcinoma with distant metastases: survival predictors and the importance of local control (Sugitani et al). 2008;143:35-42
Prognostic indicators of malignancy in adrenal pheochromocytomas: clinical, histopathologic, and cell cycle/apoptosis gene expression analysis (Strong et al). 2008;143:759-68
Solid pseudopapillary neoplasm of the pancreas: distinct patterns of onset, diagnosis, and prognosis for male versus female patients (Machado et al). 2008;143:29-34

Prostheses and implants
Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence (Safioleas et al). 2008; 143:299-300 (Letter)

Protein kinase C zeta
Deletion of toll-like receptor-4 downregulates protein kinase C-ζ and attenuates liver injury in experimental pancreatitis (Peng et al). 2008;143:679-85

Proto-oncogene proteins c-kit
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802

Q

Quality of life
Pancreatoduodenal surgery in patients with multiple endocrine neoplasia type 1: operative outcomes, long-term function, and quality of life (You et al) 2007;142:829-36. Correction. 2008;143:302
Systematic review on recovery specific quality-of-life instruments (Kluivers et al). 2008;143:206-15

Questionnaires
Systematic review on recovery specific quality-of-life instruments (Kluivers et al). 2008;143:206-15

R

Radiofrequency ablation; *see* Catheter ablation

Receptors, adrenergic, beta 1
Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation (Rickenbacher et al). 2008;143:94-102

Receptors, adrenergic, beta 2
Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation (Rickenbacher et al). 2008;143:94-102

Receptors, adrenergic, beta 3
Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation (Rickenbacher et al). 2008;143:94-102

Receptors, tumor necrosis factor, type I
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802

Reconstructive surgical procedures
Cosmetic outcome and patient satisfaction after skin-sparing mastectomy for breast cancer with immediate reconstruction of the breast (Ueda et al). 2008;143:414-25

Rectal neoplasms
Primary rectal teratoma (Sharma et al). 2008;143:570-1

Recurrent laryngeal nerve
Anatomic configurations of the recurrent laryngeal nerve and inferior thyroid artery (Yalçin) 2006;139:181-7. Correction. 2008;143:453
The mechanism of recurrent laryngeal nerve injury during thyroid surgery—the application of intraoperative neuromonitoring (Chiang et al). 2008;143:743-9
Real-time monitoring of the recurrent laryngeal nerve: an observational clinical trial (Ulmer et al). 2008;143:359-65

Renal artery
Anatomic variations of the renal vessels pertinent to transperitoneal vascular control in the management of trauma (Kaneko et al). 2008;143:616-22
Increased severity of renal ischemia-reperfusion injury with venous clamping compared to arterial clamping in a rat model (Park et al). 2008;143:243-51

Renal veins
Anatomic variations of the renal vessels pertinent to transperitoneal vascular control in the management of trauma (Kaneko et al). 2008;143:616-22
Increased severity of renal ischemia-reperfusion injury with venous clamping compared to arterial clamping in a rat model (Park et al). 2008;143:243-51

Reperfusion
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) 2007;142:487-96. Correction. 2008;143:301

Reperfusion injury
Acute pancreatitis severity is exacerbated by intestinal ischemia-reperfusion conditioned mesenteric lymph (Flint et al). 2008;143:404-13
Development of reproducible histologic injury severity scores: skeletal muscle reperfusion injury (McCormack et al). 2008; 143:126-33
Erythropoietin and its derivative protect the intestine from severe ischemia/reperfusion injury in the rat (Mori et al). 2008;143:556-65
Increased severity of renal ischemia-reperfusion injury with venous clamping compared to arterial clamping in a rat model (Park et al). 2008;143:243-51

Research
"Commercialization," a perspective (Platt et al). 2008;143: 157-61 (Editorial)
Patents and research: friends or foes? (Sachs). 2008;143:191-3 (Editorial)

Respiratory distress syndrome, adult
Yield and safety of bedside open lung biopsy in mechanically ventilated patients with acute lung injury or acute respiratory distress syndrome (Baumann et al). 2008;143: 426-33

Respiratory insufficiency
The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: a prospective cohort study (Schroeder et al). 2008;143:233-42

Resuscitation
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) 2007;142:487-96. Correction. 2008;143:301

Retroperitoneal fibrosis
Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence (Safioleas et al). 2008; 143:299-300 (Letter)

Retroperitoneal neoplasms
Retroperitoneal pararenal Castleman's disease (Ridolfini et al). 2008;143:691-2

Risk assessment
Functional parathyroid carcinoma: long-term treatment outcome and risk factor analysis (Iihara et al) 2007;142:936-43. Correction. 2008;143:302

Risk factors
Risk factors for the development of fulminant Clostridium difficile colitis (Greenstein et al). 2008;143:623-9

RNA stability
RNA stability regulates differential expression of the metastasis protein, osteopontin, in hepatocellular cancer (Emani et al). 2008;143:803-12

S

Safety
Yield and safety of bedside open lung biopsy in mechanically ventilated patients with acute lung injury or acute respiratory distress syndrome (Baumann et al). 2008;143:426-33

Sarcoma
Undifferentiated embryonal sarcoma of the liver in adult (Gourgiotis et al). 2008;143:568-9

Sentinel lymph node biopsy
Sentinel node positive breast cancer patients who do not undergo axillary dissection: are they different? (Zakaria et al). 2008;143:641-7

Sepsis
Life threatening sepsis and mortality following stapled hemorrhoidopexy (Cirocco). 2008;143:824-9

Severity of illness index
POSSUM accurately predicts morbidity for pancreatic resection (Pratt et al). 2008;143:8-19

Sex factors
Solid pseudopapillary neoplasm of the pancreas: distinct patterns of onset, diagnosis, and prognosis for male versus female patients (Machado et al). 2008;143:29-34

Shock, hemorrhagic
Cellular edema regulates tissue capillary perfusion after hemorrhage resuscitation (Zakaria et al) 2007;142:487-96. Correction. 2008;143:301

Sleep apnea, obstructive
Eliminating respiratory intensive care unit stay after gastric bypass surgery (Hallowell et al) 2007;142:608-12. Correction. 2008;143:301

Sodium-glucose transporter 1
Diurnal rhythmicity in glucose uptake is mediated by temporal periodicity in the expression of the sodium-glucose cotransporter (SGLT1) (Balakrishnan et al). 2008;143:813-8

Splanchnic nerves
Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases (Buscher et al). 2008;143:715-22

Stem cell factor
Stem cell factor and its receptor, c-kit, are important for hepatocyte proliferation in wild-type and tumor necrosis factor receptor-1 knockout mice after 70% hepatectomy (Ren et al). 2008;143:790-802

Stem cells
Surgically relevant aspects of stem cell paracrine effects (Crisostomo et al). 2008;143:577-81

Stenosis; *see* Constriction, pathologic

Stents
Does the type of carotid artery closure influence the management of recurrent carotid stenosis? Results of a 6-year prospective comparative study (Antonello et al). 2008;143:51-7

Stress kinases; *see* Phosphotransferases

Surgeons
Accelerating innovation between surgeons and biomedical engineers in the academic setting (Heller et al). 2008;143:171-5 (Editorial)
Aladár Petz, the inventor of the modern surgical staplers (Oláh). 2008;143:146-7
Effects of surgeon and hospital volume on 5-year survival rates following oral cancer resections: the experience of an Asian country (Lin and Lin). 2008;143:343-51
The heparins: all a surgeon should know (Fujita). 2008;143:835 (Letter)
Measuring patient preference and surgeon choice (Young et al). 2008;143:582-8
Surgeons and clinical ethics (Kodner). 2008;143:460-2

Surgery
Breast cancer surgery: Do all patients want to go to high–volume hospitals? (Bouche et al). 2008;143:699-705
General surgery at rural hospitals: a national survey of rural hospital administrators (Doty et al). 2008;143:599-606
Implicit motor learning in surgery: implications for multi–tasking (Masters et al). 2008;143:140-5

Surgical flaps
The new distal soleus adiposal pull-through composite flap for reconstruction of defects overlying the Achilles tendon: the anatomy and clinical experience (Gruber et al). 2008;143:441-6

Surgical mesh
Laparoscopic extraperitoneal inguinal hernia repair versus open mesh repair: long-term follow-up of a randomized controlled trial (Hallén et al). 2008;143:313-7

Surgical procedures, minimally invasive
Laparoscopic liver surgery for everyone: the hybrid method (Koffron et al) 2007;142:463-8. Correction. 2008;143:301
Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases (Buscher et al). 2008;143:715-22

Surgical procedures, operative
A contemporary analysis of outcomes for operative repair of type A aortic dissection in the United States (Knipp et al) 2007;142:524-8. Correction. 2008;143:301
Trends in thyroid cancer demographics and surgical therapy in the United States (Mitchell et al) 2007;142:823-8. Correction. 2008;143:302

Surgical staplers
Aladár Petz, the inventor of the modern surgical staplers (Oláh). 2008;143:146-7

Surgical stapling
Life threatening sepsis and mortality following stapled hemorrhoidopexy (Cirocco). 2008;143:824-9

Sympathectomy
T4 sympathectomy for palmar hyperhidrosis: looking for the right operation (Mahdy et al). 2008;143:784-9

T

Technology, medical
From innovation to successful commercialization: assessing value and investment–does the equation make sense? (Toneguzzo). 2008;143:165-8 (Editorial)
Technology and financing strategies in the development of life science companies (Gertler at al). 2008;143:198-205 (Editorial)

Telomerase
Detection of human telomerase reverse transcriptase (hTERT) expression in tissue and pancreatic juice from pancreatic cancer (Hashimoto et al). 2008;143:113-25

Telomerase reverse transcriptase; *see* Telomerase

Teratoma
Primary rectal teratoma (Sharma et al). 2008;143:570-1

Th1 cells
Regulation of alloimmune Th1 responses by the cyclin-dependent kinase inhibitor p21 following transplantation (Welling et al). 2008;143:394-403

Thalidomide
Thalidomide attenuates tumor growth and preserves fast-twitch skeletal muscle fibers in cholangiocarcinoma rats (Liu et al). 2008;143:375-83

The I.V. League
The I.V. League: "Always give them a complete, very detailed financial report. It confuses them." (Pories). 2008;143:328 (Cartoon)
The I.V. League: "Congratulations! I hear that you were elected the token woman (Pories). 2008;143:251 (Cartoon)
The I.V. League: "My faculty is demanding an eighty hour work week. . ." (Pories). 2008;143:518 (Cartoon)
The I.V. League: "So, how did you do on the orals?" (Pories). 2008;143:588 (Cartoon)
The I.V. League: "Thank you for that most generous introduction. It leaves just enough time for questions." (Pories). 2008;143:102 (Cartoon)
The I.V. League: "WANTED: Rural Surgeon. Beautiful Location. Continuous on-call schedule. High Medicaid participation. Hospital with rich traditional technology. Spouse with a nursing degree helpful. Private school only 30 miles away. Free membership to Kiwanis and Chamber of Commerce. (Pories). 2008;143:714 (Cartoon)

Thoracic nerves
T4 sympathectomy for palmar hyperhidrosis: looking for the right operation (Mahdy et al). 2008;143:784-9

Thoracoscopy
Limited effect of thoracoscopic splanchnicectomy in the treatment of severe chronic pancreatitis pain: a prospective long-term analysis of 75 cases (Buscher et al). 2008;143:715-22

Thrombectomy
Acute superior mesenteric—portal vein thrombosis after pancreaticoduodenectomy: treatment by operative thrombectomy (Zyromski and Howard). 2008;143:566-7

Thrombocytopenia
Contemporary standards for the diagnosis and treatment of heparin-induced thrombocytopenia (HIT) (Baldwin et al). 2008;143:305-12
The heparins: all a surgeon should know (Fujita). 2008;143:835 (Letter)

Thyroid diseases
Increased prevalence of breast cancer among patients with thyroid and parathyroid disease (Garner et al) 2007;142:806-13. Correction. 2008;143:302

Thyroid gland
The effect of anti-thyroid drug treatment duration on thyroid gland microvessel density and intraoperative blood loss in patients with Graves' disease (Erbil et al). 2008;143:216-25

Thyroid neoplasms
Does the presence of additional thyroid nodules on ultrasound alter the risk of malignancy in patients with a follicular neoplasm of the thyroid? (Sippel et al) 2007;142:815-7. Correction. 2008;143:302
The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm in size (McCoy et al) 2007;142:837-44. Correction. 2008;143:302
Medullary thyroid microcarcinoma recommendations for treatment—A single-center experience (Scheuba et al) 2007;142:1003-10. Correction. 2008;143:303
Papillary thyroid carcinoma with distant metastases: survival predictors and the importance of local control (Sugitani et al). 2008;143:35-42
The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) 2007;142:992-1002. Correction. 2008;143:303
Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm (Kuru). 2008;143:835 (Letter)
Trends in thyroid cancer demographics and surgical therapy in the United States (Mitchell et al) 2007;142:823-8. Correction. 2008;143:302
Utilization of total thyroidectomy for papillary thyroid cancer in the United States (Bilimoria et al) 2007;142:906-13. Correction. 2008;143:302

Thyroid nodule
Does the presence of additional thyroid nodules on ultrasound alter the risk of malignancy in patients with a follicular neoplasm of the thyroid? (Sippel et al) 2007;142:815-7. Correction. 2008;143:302
The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm in size (McCoy et al) 2007;142:837-44. Correction. 2008;143:302
Re: The incidence of cancer and rate of false-negative cytology in thyroid nodules greater than or equal to 4 cm (Kuru). 2008;143:835 (Letter)

Thyroidectomy
Are diabetic patients at a greater risk to develop a vocal fold palsy during thyroid surgery than nondiabetic patients? (Schlosser et al). 2008;143:352-8
Laryngoscopy in thyroid surgery—essential standard or unnecessary routine? (Schlosser et al) 2007;142:858-64. Correction. 2008;143:302
The mechanism of recurrent laryngeal nerve injury during thyroid surgery—the application of intraoperative neuromonitoring (Chiang et al). 2008;143:743-9
Papillary thyroid carcinoma with distant metastases: survival predictors and the importance of local control (Sugitani et al). 2008;143:35-42
Prospective trial of voice outcomes after thyroidectomy: Evaluation of patient-reported and clinician-determined voice assessments in identifying postthyroidectomy dysphonia (Stojadinovic et al). 2008;143:732-42
Re: Prospective trial of voice outcomes after thyroidectomy: evaluation of patient-reported and clinician-determined voice assessments in identifying post-thyroidectomy dysphonia (Zeitels). 2008;143:822-3 (Editorial)
Utilization of total thyroidectomy for papillary thyroid cancer in the United States (Bilimoria et al) 2007;142:906-13. Correction. 2008;143:302

Tissue donors
Experience with deceased donor kidney transplantation in 114 patients over age 60 (Moore et al) 2007;142:514-23. Correction. 2008;143:301

Tissue engineering
Tissue engineering: from bench to bedside via commercialization (Vacanti). 2008;143:181-3 (Editorial)

Toll-like receptor 4
Deletion of toll-like receptor-4 downregulates protein kinase C-ζ and attenuates liver injury in experimental pancreatitis (Peng et al). 2008;143:679-85

Torsion
Torsion of the gallbladder (Wu et al). 2008;143:294-5

Transplantation
Surgically relevant aspects of stem cell paracrine effects (Crisostomo et al). 2008;143:577-81

Transplantation, isogeneic
Role of β_1-, β_2-, and β_3-adrenoceptors in contractile hypersensitivity in a model of small bowel transplantation (Rickenbacher et al). 2008;143:94-102

Trauma; *see* Wounds and injuries

Tumor necrosis factor-alpha
Elderly patients have more severe biliary infections: influence of complement-killing and induction of TNFα production (Stewart et al). 2008;143:103-12
Late phase TNF-alpha depression in natural orifice translumenal endoscopic surgery (NOTES) peritoneoscopy (McGee et al). 2008;143:318-28

A novel tumor necrosis factor-α suppressant, ONO-SM362, prevents liver failure and promotes liver regeneration after extensive hepatectomy (Ogata et al). 2008;143:545-55

Tumor suppressor proteins

Familial hyperparathyroidism: surgical outcome after 30 years of follow-up in three families with germline *HRPT2* mutations (Sarquis et al). 2008;143:630-40

U

Ultrasonography

Does the presence of additional thyroid nodules on ultrasound alter the risk of malignancy in patients with a follicular neoplasm of the thyroid? (Sippel et al) 2007; 142:815-7. Correction. 2008;143:302

The preoperative exclusion of thyroid carcinoma in multinodular goiter: dynamic contrast-enhanced magnetic resonance imaging versus ultrasonography- guided fineneedle aspiration biopsy (Tunca et al) 2007;142:992-1002. Correction. 2008;143:303

Umbilical hernia; *see* Hernia, umbilical

Ureteral diseases

Retroperitoneal fibrosis obstructing the ureter: a new technique to prevent stenosis recurrence (Safioleas et al). 2008; 143:299-300 (Letter)

V

Vagus nerve

Intra-abdominal vagal blocking (VBLOC therapy): clinical results with a new implantable medical device (Camilleri et al). 2008;143:723-31

Vascular surgical procedures

Anatomic variations of the renal vessels pertinent to transperitoneal vascular control in the management of trauma (Kaneko et al). 2008;143:616-22

Arterial reconstruction in hepatic artery occlusions in adult living donor liver transplantation using gastric vessels (Wang et al). 2008;143:686-90

Diagnosis and management of primary aortoenteric fistulas-experience learned from eighteen patients (Song et al). 2008;143:43-50

Results in a consecutive series of 83 surgical corrections of symptomatic stenotic kinking of the internal carotid artery (Illuminati et al). 2008;143:134-9

Venous congestion; *see* Hyperemia

Venous thrombosis

Acute superior mesenteric—portal vein thrombosis after pancreaticoduodenectomy: treatment by operative thrombectomy (Zyromski and Howard). 2008;143:566-7

Vocal cord paralysis

Are diabetic patients at a greater risk to develop a vocal fold palsy during thyroid surgery than nondiabetic patients? (Schlosser et al). 2008;143:352-8

Laryngoscopy in thyroid surgery—essential standard or unnecessary routine? (Schlosser et al) 2007;142:858-64. Correction. 2008;143:302

Vocal fold palsy; *see* Vocal cord paralysis

Voice disorders

Prospective trial of voice outcomes after thyroidectomy: Evaluation of patient-reported and clinician-determined voice assessments in identifying postthyroidectomy dysphonia (Stojadinovic et al). 2008;143:732-42

Re: Prospective trial of voice outcomes after thyroidectomy: evaluation of patient-reported and clinician-determined voice assessments in identifying post-thyroidectomy dysphonia (Zeitels). 2008;143:822-3 (Editorial)

W

Wounds and injuries

The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: a prospective cohort study (Schroeder et al). 2008;143:233-42

Anatomic variations of the renal vessels pertinent to transperitoneal vascular control in the management of trauma (Kaneko et al). 2008;143:616-22